



FTR NO. 1 E-69 AHMED NAGAR

**SHRI SAIBABA SANSTHAN TRUST, SHIRDI**SHIRDI: Post Shirdi - 423 109, Tal. Rahata, Dist. Ahmednagar, Maharashtra (India)  
Telephone: +91 - 2423 - 258 500/666 Fax: +91-2423 - 258770/660, Telegram: Samath, Shirdi

No. SSS/SSBH/ BME/ WS/ 2038/22

Date: 17 FEB 2022

To,

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Sub:- Regarding Quotation for Spare Parts & servicing of Air Dryer**

Dear Sir,

Please send us sealed Quotation for Spare Parts of Air Dryer through courier or post till date 11/02/2022 on following address.

Sr. No.	Description	HSN Code	Qty	Rate Per	Total Amount
01	Activated Alumina 5 to 8 mm	8481	100KG		
02	1" 3 way valve for Air Dryer	8481	1 Nos		
03	1/2" 2 way valve for Purge valve of Air Dryer	8481	2 Nos		
04	Pre filter New	8481	1 Nos		
05	After Filter New	8481	1 Nos		
06	Oil Filter Element	8481	1 Nos		
07	Servicing Charges	-	1 Nos		
08	Shipping & Packaging Charges		1Nos		
	Sub Total				
	+ GST@ 18 %				
	Total Amount (Incl. all Taxes) in Rs				

Kindly send Quotation including all taxes (e.g. GST, Packing &amp; forwarding, Transportation, courier charges etc. FO.R. Shirdi. Both your as well as our GST no &amp; PAN no must be mentioned on quotation. Our GST no.27AAATS2581C1ZN, PAN NO.AAATS2581C.

Please note that if taxes are not mentioned then rates quoted will be considered as including all taxes &amp; F.O.R. Shirdi.

Please do the needful accordingly at the earliest.

Thanking you with blessings of Shri Saibaba

Yours Faithfully

*[Signature]*

Medical Director,  
Shri Saibaba Sansthan Hospitals, Shirdi

**Our Address-**

Biomedical Engineering Dept.  
Shri Saibaba Hospital,  
Opp. Bus Stand, Shirdi  
Tal. Rahata, Dist. A'Nagar.423109 Phone-02423-258652

माहिती व तंत्रज्ञान विभाग

वर्कशिड नं.- 1122

विभागाकडे दाखल तारीख 17 FEB 2022

रपाल प्रकार - विभागाकडे

कार्यवाहीसाठी देणेचे - *[Signature]* Sir / Raghav

विभाग प्रमुख/अधिकांक

|| *[Signature]* || tan, 804 - B, Dr. Ambedkar Marg, Dadar, Mumbai - 400014

I.T.