E-TENDER

For

Supply & Commissioning of Security Equipments on RENTAL BASIS for Shri Saibaba Sansthan Trust, Shirdi.



SHRI SAIBABA SANSTHAN TRUST, SHIRDI POST – SHIRDI, TAL – RAHATA, DIST – AHMEDNAGAR, PIN – 423 109, (M.S.) PHONE : 02423 – 258885, 77 Mail ID :– ssstsecu@sai.org.in WEBSITE - http://www.shrisaibabasansthan.org.in

TECHNICAL BID CONTENTS



INDEX

Name of Work : Supply & commissioning of Seucirty equipments on RENTAL BASIS at Shri Saibaba Sansthan Trust, Shirdi.

Sr. No.	Description	Page Number		
1	Tender Notification	3		
2	Pre Qualification requirement.	4		
3	Instruction to the Bidders	5-7		
4	Scope of Work 8-9			
5	Product specification - Annexure I			
	1. X-Ray Baggage Scanner	10-12		
	2. DFMD (Door Frame Metal Detector)	13-14		
	3. HHMD (Hand Held Metal Detector)	15		
6	Details of Company / Firm – Annexure II	16		
7	7Undertaking from Bidders – Annexure III17			
8	Declaration – Annexure IV	18		

TENDER NOTIFICATION



Shri Saiababa Sansthan Trust, Shirdi is inviting tender : On Rental Basis, the Security equipments from reputed companies, registered, Contractor, Authorized Dealers who have adequate financial source and experience.

1. EMD Rs :- 25,000/- & Tender Fee Rs.1,100/-

2. The participating agencies will have to pay Earnest Money Deposit (EMD) and Tender Fee through RTGS / NEFT at State Bank of India, Branch Shirdi.

(Saving Account No. 30630896801, IFSC code SBIN0005160)

 The tenderer should quote the gross contract value (inclusive of all taxes) for Supply, Commissioning of Security Equipments on Rental Basis from reputed companies, registered, Contractor, Authorized Dealers who have adequate financial source and experience.

- 1) Tender document will be available on <u>www.mahatenders.gov.in</u>
- 2) Document download start date 27 /01/2018 from 12.00 p.m.
- 3) Pre bid Meeting 29 /01/2018 at 11.00 p.m. ("O" meeting hall near PRO officer)
- 4) Last date for online submission date 03/02/2018 unto 5.00 p.m.
- 5) All terms & conditions for e-tender are available on <u>www.mahatenders.gov.in</u>
- 6) Shri Saibaba Sansthan Trust, Shirdi reserves the right to reject any or all tenders without assigning any reason thereof.
- 4. Both the Technical & Financial Bidding is through E- tendering only. The Tenderers shall submit all the documents as per PQR for technical evaluation along with financial evaluation on above said website. The qualified Technical Bidders only will be considered for Financial Bids.



Pre qualification requirements of Agencies/Bidders / Companies (Technical Bid)

- 1) Should be a Firm / Company (Incorporated in India) having their own service centre.
- 2) Bidder should have a fully functional service centre with spare stock for attending the breakdown call. Details of the service centre must be provided.
- 3) Bidders should be an established service centre service provider should have been in this business for a period not less than Three years as on 01.01.2018
- 4) Bidder should have a minimum 3 years experience in supply & commissioning of security equipments on Rental Basis.
- 5) The Bidder shall not be under a declaration of ineligibility for corrupt or fraudulent practices or black listed by any of the government agencies.
- The bidders should have average turnover of 50 lakhs for last 3 Financial years ie.2014-15, 2015-16, 2016-17.
- 7) The agency shall upload the copies of the following Documents:
 - 1. Valid registration certification of Shop Act/ Company /Firm etc.
 - 2. Certificate of Registration GST, PAN Card.
 - 3. Attach work order for providing security equipment.
 - 4. Average Turnover certificate of C.A. for the year 2014-15, 2015-16, 2016-17.



Instruction to the Bidders

The Tender shall be submitted in accordance with these instructions & any tender not confirming the instructions as under is liable to be rejected. The instruction shall form the part of tenders & contract.

- 1. Tenders shall be valid for a period of 90 days from the date of opening of the tender (financial bid).
- 2. In order to overcome the management and administrative difficulties, SHRI SAIBABA SANSTHAN TRUST, SHIRDI desires to hire Security Equipments & System for Shri Saibaba Sansthan Trust, Shirdi on rental basis.
- 3. Tender document is non-transferable.
- 4. Conditional tenderers are liable for rejection.
- 5. Tenders without or insufficient amount of EMD will be rejected.

6. ACCEPTANCE OF TENDER

If the bidder complies with all the documents mentioned in the Pre-Qualifying Documents, only then he becomes eligible for the commercial bid opening. Incomplete technical bids will be rejected & their commercial bids will not be opened.

- 7. Bidders are advised to study all instructions, forms, terms, requirements and other information in the tender document carefully. Submission of bid shall be deemed to have been done after careful study and examination of the tender document with full understanding of its implications. The response to this bid should be full and complete in all respects. Failure to furnish all information required by the tender document or submission of a bid not substantially responsive to the tender document in every aspect will be at the Bidder's risk and may result in rejection of the bid.
- 8. The Bidder is responsible for all costs incurred in connection with participation in this process, including, but not limited to, costs incurred in the conduct of informative and other diligence activities, participation in meetings/discussions/presentations, preparation of bid, in providing any additional information required by SHRI SAIBABA SANSTHAN TRUST, SHIRDI to facilitate the evaluation process, and in negotiating a definitive Contract or all such activities related to the tender process. SHRI SAIBABA SANSTHAN TRUST, SHIRDI will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

9. Rights to Terminate the Process

- 1) SHRI SAIBABA SANSTHAN TRUST, SHIRDI may terminate the tender process at any time and without assigning any reason. SHRI SAIBABA SANSTHAN TRUST, SHIRDI makes no commitments, express or implied, that this process will result in a business transaction with anyone.
- 2) This tender document does not constitute an offer by SHRI SAIBABA SANSTHAN TRUST, SHIRDI. The Bidder's participation in this process may result in SHRI SAIBABA SANSTHAN TRUST, SHIRDI selecting the Bidder to engage in further discussions and negotiations towards execution of a contract. The commencement of such negotiations does not, however, signify a commitment by SHRI SAIBABA SANSTHAN TRUST, SHIRDI to execute a contract or to continue negotiations. SHRI SAIBABA SANSTHAN TRUST, SHIRDI may terminate negotiations at any time without assigning any reason.



10. **Financial Evaluation**:- Financial evaluation will be done item wise basis **a**nd not on the average or total of all items. Work order will be given itemwise to the supplier who is L1 in any particular item given in tender.

11. Submissions of Bids

- 1) Tender documents can be seen, downloaded and submitted in electronic format on the Government website http://www.mahatenders.gov.in.The deadline for submission of bid is specified in a section of Project Schedule of this document.
- 2) Bids must be accompanied with scanned copies of Pre-Qualifying Documents and UTR numbers of the EMD & Tender Fee paid in favor of ' Chief Executive Officer, Shri Saibaba Sansthan Trust, Shirdi.
- 3) Bid shall be treated as invalid if scanned copies are not submitted online along with the bid.
- 4) Technical bids will be opened online on http://www.mahatenders.gov.in.website. The details pertaining to time, date and place can be found in section Project Schedule of this document.
- 12. Site Visit / Pre Bid meeting :-

The bidder should visit the site prior to submission of tender and ascertain the local site condition, working restrictions, obstructions, conditions in tender document regarding necessary approvals, required for the work from Shri Saibaba Sansthan Trust, Shirdi and shall quote the offer inclusive of all such expenses likely to be incurred while execution of the work. No claim or compensation for any extra payments incurred by the bidders towards the approvals/ NOC's/ permissions will be entertained by Shri Saibaba Sansthan Trust, Shirdi which shall be noted. Site visit is mandatory before quoting / submission of tender.

- 13. Intending tenderers can have detailed information from the Security office during office hours. (10.00am to 6.00pm)
- 14. Final acceptance of the tender rests with Shri Saibaba Sansthan Trust Shirdi. Shri Saibaba Sansthan Trust Shirdi reserves the right to reject any or all tenders without assigning any reason.
- 15. The agency shall submit their tender rates as per BOQ
- 16. In case more than one agency stands L 1, firstly, ISO Certified agencies will get preference over others Secondly, the agencies having more turnover will get preference over others.
- 17. The agency should not appoint subcontractor. If the agency is found to have appointed the subcontractor, the contract will be terminated at the risk and cost of the service provider concerned.
- 18. In case of any ambiguity or doubts with regard to the terms, clauses used in the tender documents, clarifications should be sought in writing before submitting the tenders, failing which, the decisions of the department in all such matters shall be final and binding on the agency.
- 19. All compensation or other sums of money payable by the agency to the department under the terms and conditions of this contract, may be deducted from its security deposit or from any sums that may be due or may become due to the agency by the department on any account whatsoever and in the event of security deposit being reduced by reasons of any such deduction the agency shall, within 10 days thereafter make good the shortfall in the security deposit.
- 20. Submission of the tender by the agency implies that these conditions of contract have been read and in aware of the scope of the work.



- 21. The earnest money deposit of unsuccessful bidders will be refunded through RTGS, NEFT mode only after finalization of the tender for which the above refund details are required. In case of successful bidder, amount of the earnest money deposit may be transferred towards part of the security deposit to be paid after the award of the work, if he intends to do so in writing.
- 22. In the case of a successful Bidder, if the Bidder fails to sign the Contract within specified time. The decision of SHRI SAIBABA SANSTHAN TRUST, SHIRDI regarding forfeiture of the EMD and rejection of bid shall be final and shall not be called upon for questioning under any circumstances.
- 23. Price quoted should be all inclusive with GST.

.

- 24. Bidders shall take into account all costs including installation, testing, commissioning, & maintenance charges after installation.
- 25. The material and workmanship shall comply with the relevant codes of practice and standard specifications as laid down by the Indian Started Institution
- 26. The contractor shall make his own arrangements for procuring all the materials required for the executing of the above work and store the same at site at his own cost.
- 27. The contractor shall ensure that the persons deployed are well trained and well qualified for the assigned task and will take necessary instructions form the SSST for round the clock deployment of trained personnel. Contractor shall ensure compliance of all statutory provision and labour laws.
- 28. Performance Security :- Within 10 days of the contractor's receipt of letter of Intent (LOI) / P.O., the contractor shall furnish a performance security for an amount of 5% of contract / P.O. value through NEFT to the sansthan's bank account mentioned in the bank mandate.
- 29. The Successful tenderer Shall enter into an agreement with the department on a non judicial stamp paper of Rs. 600/- (Rupees Six hundred only) and agreement notary charges will be paid by tenderer.
- 30. **Resolution of Disputes :-** In case of any dispute between parties, the Jurisdiction shall vest at RAHATA Court only. Accept the territorial jurisdiction of SHIRDI prescribed by law, no other court is having jurisdiction over the matter. All legal claims should be within the jurisdiction of RAHATA and KOPARGAON Court
- 31. **Termination of Contract:** If contractor fails to perform satisfactorily, the contract can be terminated at any time without assigning any reason by giving 15 days notice to the Contractor. This shall be without any Liability on the SSST In such Case, Employer reserves the Right to initiate any action in this regard as deemed necessary.

32. Payments :-

The payment will be made through NEFT by sansthan to the Bank account as mentioned in the bank mandate. The bidder shall submit the documents which shall clearly indicate that the proper installation, testing & commissioning are done.



SCOPE OF WORK

1. Shri Saiababa Sansthan Trust, Shirdi is inviting tender for Hiring on Rental Basis, the security equipments. Tenderers are invited for hire & installation of Security equipments and system only. The items required should be as per Technical Specifications as per mentioned.

The Vendor is expected to supply, install and commission the equipments and system at site of Shri Saibaba Sansthan Trust Shirdi. The scope of work also includes training to the Security staff of Shri Saibaba Sansthan Trust Shirdi and handing over of the equipments and system to personnel authorized by SSST.

2.1 Installation of Security Equipments & System.

The Vendor shall be responsible for timely supply & installation of Security equipments & system, complete in all the aspects, as per the required schedule of SHRI SAIBABA SANSTHAN TRUST, SHIRDI.

2.2 Users Staff Training on Security equipments & system usage

The scope of work includes on-site training to security personnel of SSST. The training should be monitored to reach level of satisfactory performance, through on hand usage of equipments and systems.

2.3 Acceptance Testing.

- a. Installation of the Security equipments and system in actual usage area.
- b. Document discrepancies and defects encountered in the course of acceptance Testing.
- c. Jointly review with authorized SHRI SAIBABA SANSTHAN TRUST, SHIRDI personnel the discrepancies and defects with a view to diagnosing the nature of the problems & immediate replacement of defective security equipments / system
- d. Once the defective security equipment / system is replaced with the new one, repeat necessary acceptance tests
- e. Formal acceptance of the system by SHRI SAIBABA SANSTHAN TRUST, SHIRDI.
- 3.1 The period of Hire will be 03 months from handing over of the equipments and systems
- 3.2 The Vendor is responsible to collect back the Security equipment and system within 07 days of expiry of contract period of 03 months or the extended period or premature termination of contract. SSST will not be responsible for storage, safety and protection of the equipments immediately after premature termination or expiry of 03 months period or expiry of extended period.
- 3.3 Upon expiry of contract period of 03 months the Vendor will intimate SSST in writing the date of expiry of contract, atleast 15 days in advance. SSST will have the right to extend the period of Contract.



- 3.4 The Vendor is responsible for day-to-day maintenance of the equipments and systems at site. The Vendor should post minimum one technically qualified person for smooth operations of security equipments and systems at site. SSST reserves the right to demand more than one technically qualified person of the vendor, if the need be.
- 3.5 The Vendor will depute his personnel to take charge of the supplied security equipments and systems on the date of expiry of contract period of 03 months or as revised by SSST.

4.0 Components of Scope of Work

The Components of Scope of Work are as follows:

1) Acceptance Testing

- 2) Install and handover the Security equipments and system in actual usage area.
- 3) Document discrepancies and defects encountered in the course of acceptance Testing.
- 4) Jointly review with authorized SHRI SAIBABA SANSTHAN TRUST, SHIRDI personnel the discrepancies and defect switch a view to diagnosing the nature of the problems & immediate replacement of defective security equipments / system
- 5) Once the defective security equipment / system is replaced with the new one, repeat necessary acceptance tests
- 6) Formal acceptance of the system by SHRI SAIBABA SANSTHAN TRUST, SHIRDI.
- 7) SSST has right to extend the contract period at its sole discretion. Any such period extension, if any will be at the same rental and terms and conditions of the work order. Vendor has no rights to ask for revision in rentals or terms and conditions during extended period. Likewise, SSST reserves the right to prematurely terminate the contract without paying any compensation to the vendor.
- 8) Successful bidder will not have any claim, whatsoever on SSST with regard to extension or premature termination of contract period. Nor the successful vendor will have any right to request SSST for the purchase of supplied security equipments and systems.
- 9) In case of any failure of equipments or systems, SSST will have right to deduct the rental charges on pro rata basis. The decision of SSST in this regard will be final.
- 10) In case of any failure of equipments or systems, SSST will have right to deduct penalty equivalent to the Rental charges on pro rata basis. Penalty will be in addition to the rental deduction. The decision of SSST in this regard will be final.

<u>Annexure I</u> <u>Technical specification</u>.



1. X-Ray Baggage Scanner -

1	Tunnel Dimension- 600 mm (w) x 400 mm (H) approx.
2	Conveyor Height – 800 mm approx.
3	Conveyor belt speed should be between 0.2/024 (m/s) conveyor movement bi- directional
4	All machines should operate on 230 VAC, 50 Hz power supply and should be able to withstand voltage fluctuation in the range of 170V to 260 V. Single phase, 3 to 5 Amp.
5	Conveyor capacity – 160 Kg. (352 Ibs) or more
6	Sensors- L-shaped detector (folded array type), in case of defective diode arrays, scanning should be disabled and error message should be displayed on the screen.
7	X-Ray Voltage – 140 to 160 KV
8	Duty cycle – 100% no warm-up procedure required.
9	Cooling – Sealed oil bath
10	The X-Ray beam divergence should be such that the complete image at maximum size of bag is displayed without corner cuts, Beam divergence should be diagonal
11	The radiation level should not exceed accepted health standard (0.1m R/Hr. at a distance of 5 cm from external housing). Relevant certificate from AERB
12	The operating temperature should be -0 degree C to 50 degree C
13	Storage temperature – 20 degree C to 60 degree C
14	Humidity – 10% - 90% non-condensing.
15	Resolution : The machine should be able to display single tinned copper wire of 38 AWG equivalent to 42 SWG. All penetration and resolution condition should be met without pressing any functional key and should be line.
16	Penetration should be 29mm thickness of steel or more
17	Continuous Electronic Zoom facility should be available to magnify the chosen area of an image. Minimum zoom should be Sixteen times (16x) required. Image zoom features shall be keybord controllable
18	Video display – 21" LED Monitor High resolution, low radiation, flicker free, resolution at least 1280x 1024, 24 bit colour real time processing.
19	The machine should have features of Advanced Multi Energy X-ray imaging facility where materials of different atomic number will be displayed in different colours to distinguish between organic and inorganic materials. With this method to distinguish high-density organic materials including explosives. Machine should have bariable colour or materials stripping to facilitate the operator to monitor images of organic matherials for closer scrutiny. All suspicious items (Explosives, High density, & narcotics material) should be displayed in one mode and that should be on line.
20	The machine should have the feature of selective detection of organic substances with relative atomic number numbers Z off 7, 8, or 9 By pressing a single kay it must be possible to toggle between the atomic numbers 7, 8 or 9. The image becomes a black and white image and only the image parts representing materials with the selected atomic number will be displayed in red.
21	The machine should have feature of automatically detecting sections of high absorption. The materials which are difficult to penetrate should be improved without



SHRI SAIBABA SANSTHAN TRUST, SHIRDI POST. SHIRDI, PIN.423 109 TAL. RAHATA, DIST. A.NAGAR Phone No. : 02423 – 258885, 77 E-Mail: ssstsecu@sai.org.in

	deteriorating the image information of other image sections.
22	The machine should have the feature of warming the operator by stopping of the bel
	in case of presence of high absorbing material in a baggage. System should have
	threat image Projection (TIP) software module
23	Radiation safety - The machine must comply with requirements of health and safety
20	regulations with regard to mechanical electrical and radiation hazards Before
	installation of the machine, the supplier/manufacture should furnish relevan
	certificate from Atomic Energy Regulatory Board of India regarding radiation safety
	The company manufacturing the equipment should have ISO certification for
	manufacturing and serving of X-ray Screening machines.
24	Film Safety Guaranteed safety for high-speed films up to ISO 1600. The machines
	should be film safe, in other words photographic films must not to damaged due to X-
	ray examination.
25	Machine should be rodent protected dust proof cover is to be provided for covering
	when system is not in use.
26	Facility for variable contrast must be incorporated to allow enhancement lighter and
	darker portion of the image.
27	The machine should be so designed that software enhancement can be easily
	implemented to take care of new technique in image processing and pattern
	recognition.
28	Through put should be 400 bags per hour or more
29	Full diagnostic built in test facility. All models should have software- controlled
29	diagnos, is is report facility and system should give printout if printer is connected.
20	
30	All software features of machine should be online and password protected.
31	Machine should be capable for recalling 20 previous images.
32	It should have the capability of archiving 30,000 images with automatic overwrite
33	Control desk with security housing and locking provision should be available
34	Facility of image enhancement should be available
35	All models should have online recording facility and images can be recorded in
	DVD/CD R/W and USB drive
36	Lead impregnated safety screens should be available at either ends of the tunnel Idle
	rollers to be provided at either ends of the tunnel to facilitate placing of baggage i
	input and output
37	Company should provide free upgrade of software for 3 years. All software features
	should be controlled from key board of machine only. Keyboard function should be
	user friendly. To enable/disable the software features system should not be rebooted.
38	If the machine falls to penetrate a particular item the an alarm video and audio both
50	should be generated to notify the operator
39	Copy of all software including X-ray software with recovery CD must be provided.
40	Operational Training-Operating staff has not to be provided free training
41	Operating & service manual shall be provided with each machine
42	Other features
	a) Super Enhancement
	b) Negative/inverse video
	c) Fast initial warm-up
	d) Pseudo colo u r
	e) Date & Time display



SHRI SAIBABA SANSTHAN TRUST, SHIRDI POST. SHIRDI, PIN.423 109 TAL. RAHATA, DIST. A.NAGAR Phone No. : 02423 – 258885, 77 E-Mail: ssstsecu@sai.org.in

f) High Density Alert g) HI-SPOT 43 **Computer Configuration** a) CPU : Intel ® Coreth i7-4770 Processor, 3, 4 Ghz, 8 MB Cache or better b) Chipset : Intel Q67 Express or higher on OEM Motherboard c) Bus Architecture : 4 PCI (PCI/PCI Express) d) Memory : 8 GB 1066 MHz DDR3 RAM with 32 GB Expandability e) Hard Disk Drive : 2 TB 7200 rpm Serial SATA HDD or higher f) MOnitor : MINIMUM 21 inch LED Colour Monitor g) Keyboard 104 keys h) Mouse : Optical with USB interface i) Graphics card : 4GB MINIMUM Ports : 6 USB Ports (with at least 2 in front) audio ports for microphone and headphone in front Cabinet : Small form factor (Max. 16 Litres) i) k) DVD Writer : 8X or better 1) Networking facility : 10/100/1000 on board integrated Network Port with remote booting facility remote system installation remote wake up, out of band management using any standard management software m) Operating System : Windows 7 Professional or higher/ RHEL/SUSE Linux preloaded, as specified, with Media and Documentation and Certificate of Authenticity n) OS Certifications : Windows 7 OS or higher and linux certification o) Power Management : Screen Blanking, Hard Disk and System Idle Mode in Power On, Set up Password, Power supply SMPS Surge p) Preloaded Software : Norton or McAfee or eTrust or E-Scan or Fore front or Trend Micro or PC Tool or Quick heal Antivirus (Latest Version) with 3 years License q) UPS -3 KVA online with back-up time of at least $\frac{1}{2}$ hour Note :a) The X-Ray Machine shall be supplied, installed, Maintained by the original equipment manufacturer. b) Bidders should technically demonstrate the offered model as per the specification of the tender

2. DFMD (Door Frame Metal Detector) -



Installation of the **Multi Zone Door frame Metal Detector (Weather Proof**) with following specification :

1	It should be capable to detect both ferrous and non ferrous metals.		
2	Passage dimensions	Height 215 cm min	
		Breadth 76 cm min	
		Width 60 cm min	
3	Weight	90 Kg Maximum	
4	Power supply	220+/-10V AC, 50Hz Inbuilt Battery with backup time minimum 6 hr	
5	Alarm	Acoustic and optical alarm with alphanumeric display height on person bar display (metal locator), low battery indication.	
6	Visual Alarm	Visual Alarm of DFMD shall facilitate the security inspection personnel in locating the zone in which the threat object is concealed simultaneously.	
7	Sensitivity	Wide range of sensitivity setting and fine tuning, zone wise sensitivity setting required.	
8	Zones	Not less than Eight horizontal zones, covering full height of the instrument.	
9	Calibration	Manual and automatic by build – in key pad by remote control via a serial/wireless link. All functions should be programmable & controlled by a microprocessor.	
10	Counter	Intelligent traffic counters for transit.	
11	Detection	Uniform from top to bottom.	
12	Throughput rate	25 People per minute.	
13	Multiple metals	Should be able to detect multiple metals of various sizes in all the zones simultaneously.	
14	Protection	Conform to relevant electric safety standard (Supported by test certification from NABL {INDIA} or other accredited labs from the country of origin of the equipment. It should have IP 65 Protection.	
15	Operation of DFMD	shall not be affected by infrared, ultraviolet, electromagnetic or R.F	



	radiation.		
16	Heath & safety : DFMD shall be cardiac, pacemaker, magnetic tape & Film Safe. Bidder shall submit certification to this effect with the supporting documents		
17	The offer equipment should be compact, fully solid state, highly reliable and shall use latest state of the art technology.		
18	The equipment should be designed for continuous operation, 24 hour a day and 365 days a year		
19	All types of spares and spare modules of the offered equipment shall be readily available with the Bidder & its OEM partner during life time of the equipment (10 yrs. approximate) for maintenance, repairs & up keep of the equipment .		
20	Bidder, Firm must provide an OEM authorization conforming the compliance to technical Specification, along with the OEM authorization Certificate.		
21	Main power Supplies used in offered DFMD shall be rugged enough to withstand variation in mains voltages and frequency over a long period times so that the failures in the equipment due to power supply are minimized.		
22	Documentation: - Operations, Technical & Maintenance Manual shall be Supplied to each site. (Hard & soft Copy)		
23	Static Metal Compensation: - It may be necessary to install DFMD closed to fixed sheet or piece of metal which form part of the building or its fitting or 1 meter a part from another DFMD of different make. DFMD shall compensate for presence of such metal of DFMD & its performance shall not be degraded by the presence of metal/DFMD.		



TECHNICAL SPECIFICATION OF HAND HELD METAL DETECTOR (HHMD)

1- Technology	-	Pulse indication technology transmitter/receiver
		with automatic instant reset.
2- Operating frequency	-	Approx. 20 KHz to 100 KHz
3- Audio frequency-		Approx- 2KHz
4- Weight	-	Less than – 300 gm.
5- Power sources	-	Standard 9V rechargeable/disposable battery
		provided with high quality charger
6- Detection range	-	(i) Should detect a small metal object like Gem-clip
		from a distance of 1 inch
		(ii) Instant response to all metal.
7- Indicators	-	(i) Audio, & visual.
		(ii) Low battery indicator & charging & full charge
		indicator.
8- Power control	-	Push button/press on/off switch
9- Adjustment provision	-	(i) Audio on/off switch
10 –Safety	-	Safe for heart pace makers & non interference with
		magnetic recording materials.
11- Operating temperature	-	0 degree to 50 degree Celsius
12- Certification	-	CE. Certificate Required

Annexure- II



DETAILS OF COMPANY /FIRM

Sr. No.	Particulars	Details		
1.	Name of Company / Firm / Agency			
2.	Name of Proprietor / Director of Company / Firm / Agency			
3.	Full Address of Reg. Office			
4.	Telephone No.			
5.	Fax No.			
6.	. E-mail Address			
7.	7. GST No. (Attach Copy)			
	Bank Details (For RTGS)			
	a) Bank Name			
8.	b) Branch Address			
	c) Account Number			
	d) Type of Account (Current / Savings)			



(UNDERTAKING FROM BIDDERS)

To, The Chief Executive Officer Shri Saibaba Sansthan Trust, Shirdi Tal-Rahata Dist- Ahmednagar

Sir / Madam

Nature of Service	Supply & commissioning of security equipment on Rental
	Basis

Having Examined and perused the following documents.

- 1) Notice Inviting Tender
- 2) Instruction to the Bidder
- 3) General terms and conditions
- 4) Technical Specification of items (Ann-I)

I / we do hereby submit tender in prescribed formats for supply, installation, testing, commissioning of security equipment and system along with compressive Defects, liability period maintenance to Shri Saibaba Sansthan Trust, Shirdi Completed in all respects in accordance with the condition applicable. If this tender accepted, I / We agree to abide by and fulfil the terms of conditions in the tender documents.

I/We hereby distinctly and expressly declare and acknowledge that before the submission of this tender, I/We have carefully read and followed the instruction and I/We have understood the existing system of supply in sansthan including the scope and nature of duties expected from bidders.

I / we distinctly agree that I / We would here after make no claim or demand upon the Shri Saibaba Sansthan Trust, Shirdi based upon or arising out of any alleged misunderstanding or misconceptions or mistake on my / our part of the said stipulation, restriction and conditions.

Any notice required to be served on me / us shall be sufficiently served on me / us by post or courier or left at my / our address furnished **herein.** I / we fully understand the terms and condition in the tender documents.

Dated this day of 2018

Signature seal of Bidder



<u>Annexure – IV</u>

DECLARATION

I / We having our office as mentioned below and declare that I / we have never been blacklisted by any state government / Central Government or any state / central PSU.

Signature -

Name -

Designation -

Name of the Agency –

Address of the Bidder -

Date -

Place -