



SHREE SAIBABA SANSTHAN TRUST, SHIRDI
AP-SHIRDI. TAL-RAHATA. DIST-AHILYANAGAR MS 423 109
Email-id it@sai.org.in 02423-258953

QUOTATION FOR SEALED MAINTAINANCE FREE(SMF) UPS BATTERY.

Sealed quotations are invited from authorized dealers for purchase of SMF battery. The detail battery specification is as mention below.

Specification of Battery	Qty
Exide/Amron Quanta Sealed Maintenance Free(SMF) UPS battery. 12 Volt 65 AH. Features: International Size, Eco Friendly, Easy Handling, Low self-discharge, High reliability With transportation and Installation at Shirdi 2 Years onsite next business day warranty.	15
Buyback of Existing 12 Volt 65 AH SMF batteries, Make Exide Power safe Plus	15

Documents Required with Quotation.

1. Photocopy of PAN Card and GST registration.
2. Firm details as given in Annexure A.

Terms and Condition.

1. **New battery rate and Old battery buyback rate will be summarized to calculate L1 bidder.**
2. Supply of battery should done within 15 days after receiving the Purchase order.
3. Licenses if any should be registered in the name of "Chief Executive Officer, Shree Saibaba Sansthan Trust, Shirdi".
4. Payment conditions: 100% after delivery and Inspection.
5. Rate should inclusive of all Taxes.
6. Delivery of battery and installation to be done at Shirdi Office.
7. Quotation submission from 12/02/2025 to 18/02/2025 5:00 PM in Sansthan Inward office.

Quotation Submission:

Sealed quotations submitted in sealed envelope as

Quotation for SMF Battery – Information Technology Department. Chief Executive Officer, Shree Saibaba Sansthan Trust, Shirdi Ap: Shirdi. Tal - Rahata. Dist: Ahilyanagar Pin code 423 109.

Chief Executive Officer
Shri Saibaba Sansthan Trust, Shirdi

Annexure-A
Personal & Bank Details
All columns are mandatory
(Submit on Company Letter Head)

Sr No	Personal Detail	
1	Name of the Agency.	
2	Address	
3	Contact Person and Cell No	
4	PAN and GST number	
5	Bank Details – Name of the Bank	
	Bank City	
	Branch Name and Code	
	Account Type	
	Account Number	
	IFSC CODE	
	MICR NO.	