

SHRI SAIBABA SANSTHAN TRUST SHIRDI

Information Technology Department

Tender document for Purchase of Mobile Jammer

INFORMATION TECHNOLOGY DEPARTMENT Po. Shirdi, Tal. Rahata, Dist. Ahmednagar. Phone No. (02423)-258953 Website: - <u>www.sai.org.in</u> email- it.office@sai.org.in



DETAILED TENDER NOTICE

SHRI SAIBABA SANSTHAN TRUST INFORMATION TECHNOLOGY DEPARTMENT Po. Shirdi, Tal. Rahata, Dist. Ahmednagar. Phone No. (02423)-258953 Website: - <u>www.sai.org.in</u> email- <u>it.office@sai.org.in</u>

Purchase of Mobile Jammer

Online tenders are invited for the purchase of Mobile Jammer from authorized dealers. The tender details will be available on <u>https://mahartenders.gov.in</u> for downloading & the tender has view only access on the website of Trust www.sai.org.in under tender menu.

Technical Specifications of Mobile Jammer are given in Annexure B.

1.0 Time Table for online tender submission.

Online Tender Publish Date	Dt. 14-03-2024 Time- 11.00			
Online Bid Submission Start Date	Dt. 14-03-2024 Time- 11.00			
Online Bid Submission End Date	Dt. 25-03-2024 Time- 17.00			
Online Technical Bid Opening Date	Dt. 27-03-2024 Time- 11.00			
Extension 03	Dt: 25/04/2024 to 02/05/2024			
Product Demo	Technically qualified bidders will be invited for product demo			

Validity Period:

The offer of the bidder shall remain valid for acceptance for a minimum period of **120 days** from the tender opening date.

1.1 Scope of Work.

- Demo of Jammer to Show all Band width are getting ban.
- Supply, installation, testing and commencement of supplied Jammer as per SSST expectations.
- Provide product documentation, SOP, drivers and Installation training to SSST to maintain the Jammer.

2.0 Tender Fees, Earnest Money Deposit & Security Deposit:

- a) Earnest Money Deposit Rs: 8,500 (Eight Thousand Five Hundred Only)
- b) Tender Cost : 1,700 (One thousand Seven Hundred Only)
- c) Security Deposit (SD): Successful bidder has to deposit 3% amount of awarded cost as security deposit within 15 days from acceptance of purchase order. This SD amount will be refunded after warranty period of Jammer.
- d) No interest will be paid on the EMD and Security Deposit.

Note:

1. The amount of EMD will be refunded back to all bidders (except L1 bidder) after issuing purchase order to L1 bidder.

- 2. L1 bidder's EMD amount will be refunded after deposit of Security Deposit by bidder.
- 3. Even though the bidders meet the requirements, they are subject to be disqualified in case of misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements.

3.0 TENDERING PROCEDURE.

Qualification Criteria:

- 1. Bidder should be the Original Equipment Manufacturer/Authorized Dealer of the original equipment manufacturer of Mobile Jammer.
- 2. Bidder should not be blacklisted by Central / State Government or Government Corporation or statutory Institute.

3.1 Technical Bid

Technical BID must submit online only.

Scanned copy of following documents must uploaded as Technical-bid.

- 1. Certificate of GST Registration and PAN.
- 2. Authorized partner/Dealer Documents/Letter from OEM.
- 3. Letter stating that the Firm/Company is not blacklisted by Central / State Government, Government Corporation, statutory Institute.
- 4. Mobile Jammer white papers/ Pamphlets/ Brochure along with model number and specification in comparison with requested model.
- 5. Letter on company/Firm letter head Stating that "Company/Firm have read all terms and conditions and agree with them"
- 6. Fill and upload the 'Annexure C'.
- 7. Letter stating that ready to give demo of device.

3.2 Commercial Bid

- **Price should be inclusive of all Tax. Show tax separately.**
- The tenderer should quote online, in BOQ provided.

3.3 Acceptance of Tender:

- 1. The commercial bid of bidders who **technically qualified and demonstrated product successfully** shall be only opened online and lowest offer (Item wise) amongst the opened bid will be accepted. The acceptance of tender will be communicated to the bidder by email or otherwise.
- 2. The quoted amount in online tender shall be valid for 120 days (Four Months) from the tender opening date.

3.4 Warranty Period.

- a) Warranty period of Mobile Jammer is 3 years.
- b) Bidder should provide 24X7 online supports within warranty period. And should help our representative to log the call with respective company/OEM.
- c) If supplier fails to resolve the issue in 48 hours from next business day, 5% cost of the faulty jammer will be deducted per week from security deposit until the issue is resolved.

4.0 Payments :

- 1. 70% Payment after supply, successful Installation/configuration, inspection of all ordered Mobile Jammer.
- 2. 30% Payment will paid equally in 36 installment quarterly.

4.1 Penalty:

- a) If Bidder/Supplier fails to deliver/install Jammer within stipulated time, 0.5% of the bid amount will deducted per week from EMD.
- b) If successful bidder refuses to deliver the Mobile Jammer or fails to deliver, EMD will be forfeited and bidder will be blacklisted for 3 years.

4. 2 Security Deposit:

- a) Successful bidder has to deposit 3% amount of awarded cost as security deposit within 15 days from acceptance of purchase order. This SD amount will be refunded after warranty period of Mobile Jammer.
- b) SSST GST number as well as supplier GST number must be mentioned on invoices.
- c) Successful bidder must pay GST amount against invoice submitted to SSST, it should reflected on GST Portal, otherwise SSST will not proceed invoice for Payment.

5. Terms and Conditions:

- 1. Device/Software license registration with respective OEM should be done in the name of "Chief Executive Officer, Shri Saibaba Sansthan Trust, Shirdi".
- 2. The bidder should study all the tender documents carefully and understand the tender contract conditions, specifications etc. before quoting online. If there are any doubts, they should get clarifications in writing but this shall not be a justification for submission of late tender or extension of submission date.
- 3. Each of the tender documents uploaded in technical bid is required to sign by the person/ persons submitting the tender.
- 4. Shri Saibaba Sansthan Trust reserves the rights to accept / reject partial / full tender.

6. Delivery Schedule

- 1. Successful bidder should supply the Mobile Jammer within 4 weeks from the purchase order acceptance date. Bidder should complete the Installation/configuration/inspection within 1 weeks from the Jammer delivery date. In total, bidder can manage the delivery and installation in 5 weeks from purchase order acceptance date.
- 2. Delivery of Mobile Jammer to be done at IT Department, Shri Saibaba Sansthan Trust, Shirdi on working day between 10 am to 6 pm.
- 3. Transport, freight and other charges will be bidder's responsibility.
- 4. If successful bidder refuses to deliver the Mobile Jammer or fails to deliver the Jammer, EMD will be forfeited and bidder will be blacklisted for 3 years.

Chief Executive Officer Shri Saibaba Sansthan Trust Shirdi

ANNEXURE- A

Personal & Bank Details for RTGS All columns are mandatory (Submit on Company Letter Head)

Sr. No.	Personal Detail	
1	Name of the Firm	
2	Address	
4	Contact Person and Cell No	
5	GST Number	
6	Bank Details – Name of the Bank	
	Bank City	
	Branch Name and Code	
	Account Type	
	Account Number	
	IFSC CODE	
	MICR NO.	
7	Stamp and Signature of the agency	

Techn	ical specification of Mobil	e Jammer	Qty.
igh output power, each ummers should able to G signals, GPS Signals	quency-Indoor ble to cover 5- 50 meters are a channel 4W, 12 channel, to ban GSM,CDMA,2G sign s, Wifi 2.4G, Wifi 5.2G Wif lowing 12 Frequency bands	otal 48 W als, 3G signals, 4G signa i 5.8G, Bluetooth Signals.	
Jamming Frequency	Details (MHz)	Average Output	
800/900	850-960MHz	5W	
800/900	850-960MHz	5W	
1800	1805 – 1880MHz 5W		
2100	2110 – 2170MHz 5W		
2300	2300 - 2400MHz	5W	
2500	2496 – 2590MHz	5W	
GPS L1	1560 - 1620MHz	5W	
WIFI 2.4G	2400-2485MHz	5W	
WIFI 5.8G	5725-5850 MHz	5W	
5G:	3300-3500MHz	5W	
5G1:	3500-3670 MHz	5W	
2500 1	2590 – 2690MHz	5W	

ANNEXURE- B

Sr. No.	Tender Requirement.	Document uploaded in Online Bid.
1	PAN, Certificate of registration for GST, Company	
2	Letter stating that the Firm/Company is not blacklisted by Central / State Government, Government Corporation, statutory Institute. (On letter head of Firm)	
3	Bidder should be the authorized dealer of the original equipment manufacturer of Jammer. (Authorization letter from company)	
4	Mobile Jammer and peripherals related white papers/ Pamphlets/ Brochure along with model number and specification in comparison with requested model.	
5	Letter stating that Firm/Company has read all terms & conditions, and agreed with them. (On letter head of Firm)	
6	Amount transferred Receipt	

Annexure C Compliance Sheet for technical Document

BOQ format

Jammer for 12 band Frequency-Indoor Jammers range should able to cover 5- 50 meters area.02High output power, each channel 4W, 12 channel, total 48 W Jammers should able to ban GSM,CDMA,2G signals, 3G signals, 4G signals, 5G signals, GPS Signals, Wifi 2.4G, Wifi 5.2G Wifi 5.8G, Bluetooth Signals.02Warranty 03 year. Following 12 Frequency bands should be banned.04Jamming FrequencyDetails (MHz)Average Output800/900850-960MHz5W800/900850-960MHz5W800/900850-960MHz5W18001805 - 1880MHz5W21002110 - 2170MHz5W23002300 - 2400MHz5W25002496 - 2590MHz5WGPS L11560 - 1620MHz5WWIF1 2.4G2400-2485MHz5WSG:3300-3500MHz5WSG:3300-3500MHz5W5G:3300-3500MHz5W5G1:3500-3670 MHz5W2500 12590 - 2690MHz5W	Technical s	pecification of Mobile	Jammer	Qty.	Rate	GST	Amount
High output power, each channel 4W, 12 channel, total 48 W Jammers should able to ban GSM,CDMA,2G signals, 3G signals, 4G signals, 5G signals, GPS Signals, Wifi 2.4G, Wifi 5.2G Wifi 5.8G, Bluetooth Signals.Warranty 03 year. Following 12 Frequency bands should be banned.Jamming FrequencyDetails (MHz)Average Output $800/900$ $850-960$ MHz $5W$ $800/900$ $850-960$ MHz $5W$ $800/900$ $850-960$ MHz $5W$ 2100 $2110-2170$ MHz $5W$ 2300 $2300-2400$ MHz $5W$ 2500 $2496-2590$ MHz $5W$ 2500 $2496-2590$ MHz $5W$ $WIFI 2.4G$ $2400-2485$ MHz $5W$ $WIFI 5.8G$ $5725-5850$ MHz $5W$ $5G:$ $3300-3500$ MHz $5W$ $5G1:$ $3500-3670$ MHz $5W$							
Jammers should able to ban GSM,CDMA,2G signals, 3G signals, 4G signals, 5G signals, GPS Signals, Wifi 2.4G, Wifi 5.2G Wifi 5.8G, Bluetooth Signals. Warranty 03 year. Following 12 Frequency bands should be banned. Jamming Frequency Details (MHz) Average Output $800/900$ $850-960MHz$ $800/900$ $850-960MHz$ $800/900$ $850-960MHz$ $5W$ $800/900$ $850-960MHz$ $5W$ $800/900$ $850-960MHz$ $5W$ 2100 $2110 - 2170MHz$ 2300 $2300 - 2400MHz$ 2300 $2300 - 2400MHz$ $5W$ 2500 $2496 - 2590MHz$ $5W$ GPS L1 $1560 - 1620MHz$ $5W$ WIF1 2.4G $2400-2485MHz$ $5W$ $9725-5850$ MHz $5W$ $5G:$ $3300-3500MHz$ $5G:$ $3300-3500MHz$ $5G:$ $3300-3670$ MHz				02			
4G signals, 5G signals, GPS Signals, Wifi 2.4G, Wifi 5.2G Wifi 5.8G, Bluetooth Signals. Warranty 03 year. Following 12 Frequency bands should be banned. Jamming Frequency Details (MHz) Average Output $800/900$ $850-960MHz$ 5W $800/900$ $850-960MHz$ 5W $800/900$ $850-960MHz$ 5W $800/900$ $850-960MHz$ 5W 2100 $2110 - 2170MHz$ 5W 2300 $2300 - 2400MHz$ 5W 2300 $2300 - 2400MHz$ 5W $QFS L1$ $1560 - 1620MHz$ 5W WIFI 2.4G $2400-2485MHz$ 5W WIFI 5.8G $5725-5850$ MHz 5W SG: $3300-3500MHz$ 5W SG1: $3500-3670$ MHz 5W							
5.8G, Bluetooth Signals. Warranty 03 year. Following 12 Frequency bands should be banned. Jamming Frequency Details (MHz) Average Output $800/900$ $850-960MHz$ $5W$ 2100 $2110 - 2170MHz$ $5W$ 2300 $2300 - 2400MHz$ $5W$ 2500 $2496 - 2590MHz$ $5W$ GPS L1 $1560 - 1620MHz$ $5W$ WIFI 2.4G $2400-2485MHz$ $5W$ WIFI 5.8G $5725-5850$ MHz $5W$ SG: $3300-3500MHz$ $5W$ SG1: $3500-3670$ MHz $5W$							
Warranty 03 year. Following 12 Frequency bands should be banned. Jamming Frequency Details (MHz) Average Output 800/900 850-960MHz 5W 800/900 850-960MHz 5W 1800 1805 – 1880MHz 5W 2100 2110 – 2170MHz 5W 2300 2300 – 2400MHz 5W 2500 2496 – 2590MHz 5W GPS L1 1560 - 1620MHz 5W WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W			4G, Wifi 5.2G Wifi				
banned. Jamming Frequency Details (MHz) Average Output 800/900 850-960MHz 5W 800/900 850-960MHz 5W 1800 1805 – 1880MHz 5W 2100 2110 – 2170MHz 5W 2300 2300 – 2400MHz 5W 2500 2496 – 2590MHz 5W GPS L1 1560 - 1620MHz 5W WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W			v handa shavid ha				
Jamming Frequency Details (MHz) Average Output 800/900 850-960MHz 5W 800/900 850-960MHz 5W 1800 1805 – 1880MHz 5W 1800 1805 – 1880MHz 5W 2100 2110 – 2170MHz 5W 2300 2300 – 2400MHz 5W 2500 2496 – 2590MHz 5W GPS L1 1560 - 1620MHz 5W WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W		onowing 12 Frequence	y bands should be				
Output 800/900 850-960MHz 5W 800/900 850-960MHz 5W 1800 1805 – 1880MHz 5W 2100 2110 – 2170MHz 5W 2300 2300 – 2400MHz 5W 2500 2496 – 2590MHz 5W 2500 2496 – 2590MHz 5W GPS L1 1560 - 1620MHz 5W WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W	Danneu.						
Output 800/900 850-960MHz 5W 800/900 850-960MHz 5W 1800 1805 – 1880MHz 5W 2100 2110 – 2170MHz 5W 2300 2300 – 2400MHz 5W 2500 2496 – 2590MHz 5W 2500 2496 – 2590MHz 5W GPS L1 1560 - 1620MHz 5W WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W	Jamming Frequency	Details (MHz)	Average				
800/900 850-960MHz 5W 1800 1805 – 1880MHz 5W 2100 2110 – 2170MHz 5W 2300 2300 – 2400MHz 5W 2500 2496 – 2590MHz 5W GPS L1 1560 - 1620MHz 5W WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W		()	Ũ				
1800 1805 - 1880MHz 5W 2100 2110 - 2170MHz 5W 2300 2300 - 2400MHz 5W 2500 2496 - 2590MHz 5W GPS L1 1560 - 1620MHz 5W WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W	800/900	850-960MHz	5W				
2100 2110 - 2170MHz 5W 2300 2300 - 2400MHz 5W 2500 2496 - 2590MHz 5W GPS L1 1560 - 1620MHz 5W WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W	800/900	850-960MHz	5W				
2300 2300 - 2400MHz 5W 2500 2496 - 2590MHz 5W GPS L1 1560 - 1620MHz 5W WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W	1800	1805 – 1880MHz	5W				
2500 2496 - 2590MHz 5W GPS L1 1560 - 1620MHz 5W WIF1 2.4G 2400-2485MHz 5W WIF1 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W	2100	2110-2170MHz	5W				
GPS L1 1560 - 1620MHz 5W WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W	2300	2300 - 2400MHz	5W				
WIFI 2.4G 2400-2485MHz 5W WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W	2500	2496 - 2590MHz	5W				
WIFI 5.8G 5725-5850 MHz 5W 5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W	GPS L1	1560 - 1620MHz	5W				
5G: 3300-3500MHz 5W 5G1: 3500-3670 MHz 5W	WIFI 2.4G	2400-2485MHz	5W				
5G1: 3500-3670 MHz 5W	WIFI 5.8G	5725-5850 MHz	5W				
	5G:	3300-3500MHz	5W				
2500 1 2590 – 2690MHz 5W	5G1:	3500-3670 MHz	5W				
	2500 1	2590 - 2690MHz	5W				

Note:-

- 1) Fill-up the Rates in BOQ provided online of website.
- 2) Technical and Commercial Bid to submitted online only. No physical Bid will be accepted.

Information Technology Department, Shri Saibaba Sansthan Trust, Shirdi. Date:



SHRI SAIBABA SANSTHAN TRUST, SHIRDI. At.Po.- Shirdi, Tal.- Rahata, Dist.- Ahmednager – 423 109. Phone No. (02423) 258953 (Website-<u>www.sai.org.in email: it.office@sai.org.in</u>)

Online tenders are invited for the purchase of Mobile Jammer Qty- 2 from authorized dealers. The tender details will be available on <u>https://mahatenders.gov.in</u> for downloading & the tender has view only access on the website of Trust www.sai.org.in under tender menu.

- Earnest Money Deposit Rs: 8,500 (Eight Thousand Five Hundred Only)
- Tender Cost : 1,700 (One thousand Seven Hundred Only)

Online Tender Publish Date	Dt.	14-03-2024	Time- 11.00
Online Bid Submission Start Date	Dt.	14-03-2024	Time- 11.00
Online Bid Submission End Date	Dt.	25-03-2024	Time- 11.00
Online Technical Bid Opening Date	Dt.	27-03-2024	Time- 11.00

- 1. The details of Technical documents to be submitted online mentioned in the Tender documents. All such documents should be scanned and uploaded along with the e-tender.
- 2. Shri Saibaba Sansthan Trust, Shirdi reserves the right to reject any or all Tenders without assigning any reason thereof.

Chief Executive Officer, Shri Saibaba SansthanTrust, Shirdi.