

E-TENDER
For
**Supply, Installation, Commissioning And Comprehensive
Defects Liability Period Maintenance of Gym. Machinery
& Equipments**

at **Shri Saibaba Sansthan Trust, Shirdi.**



SHRI SAIBABA SANSTHAN TRUST, SHIRDI
POST – SHIRDI, TAL – RAHATA, DIST – AHMEDNAGAR,
PIN – 423 109, (M.S.) PHONE : 02423 – 258885, 258877
Mail ID :- ssstsecu@sai.org.in
WEBSITE - <http://www.shrisaibabasansthan.org.in>

Shri Saibaba Sansthan Trust, shirdi invites **Online bids in two bid system** for tenders for supply, Installation and Comprehensive Defects Liability Period Maintenance of Gym Equipments from manufacturer sole proprietors at Shri Saibaba Sansthan Trust, Shirdi. You are requested to quote your best offer along with the complete details of specifications, terms & conditions.

Sr. No.	Item Decription as per technical documents	QTY	Unit
1	Commercial Motorized Treadmill	4	Nos.
2	Commercial Elliptical Trainer	2	Nos.
3	Spinning Bike	2	Nos.
4	Body Vibrator (imported)	1	Nos.
5	Pectoral Fly/ Rear Delt	1	Nos.
6	Vertucal Chest Press	1	Nos.
7	Lat Pull Down	1	Nos.
8	Seated Rowing	1	Nos.
9	Shoulder Press	1	Nos.
10	Biceps Curl	1	Nos.
11	Seated Leg Curl / Extension (with R.O.M.)	1	Nos.
12	Horizontal Leg Curl (Prone leg curl)	1	Nos.
13	45° Leg Press	1	Nos.
14	Cable Crossover	1	Nos.
15	Seated Calf Raise	1	Nos.
16	Smith & Multi Functional Trainer	1	Nos.
17	Olympic Flat Bench	2	Nos.
18	Olympic Decline Bench	2	Nos.
19	Olympic Incline bench	2	Nos.
20	Multi Adjustable Bench	4	Nos.
21	Utility Bench	1	Nos.
22	Bach Extion Bench FID Bench - Flat / Incline (90Deg) / Decline (5Deg)	1	Nos.
23	Sitting and Standing Twister	1	Nos.
24	2-Tier Dumbbell Rack	2	Nos.
25	Barbell Rack (Olympic Bar Rack)	1	Nos.
26	Olympic Plate Tree	1	Nos.
27	Hex Rubber Dumbell		
27.01	2.5, 5, 7.5, 10, 12.5, = 2 pairs	150	kg
27.02	15, 20, 25, 30, 35, 40, 45, 50, 55, 60 = 1 pair	750	kg
28	Olympic Rubber Plate		
28.01	2.5-4, 5-5, 10-5, 15-5, 20-6 = 1 pair	590	kg
29	Olympic Bar		
29.01	7ft-3, 4ft-1, Ez 4ft -1,	29	feet
30	Accessories		
30.01	Hameer curl Bar, Straight Handle, Ez curl handle, V tricep Handle starp, Rowing, bicep/tricep handle	1	set
31	Rubber Tile - 20mm (500mm x 500mm)	1500	Nos.
	Total		

(Refer Details as per Annexure – “I”)

Instructions for the Tenderer/ Contractor/ Bidders:-

1. **Bids shall be submitted online only at Government E-Tender website: www.mahatenders.gov.in**
2. The complete bidding process in online. Bidders should be in possession of valid Digital Signature Certificate (DSC) of class II or III for online submission of bids. Prior to bidding, DSC need to be registered on the website mentioned above. For any assistance for e-bidding process, if required, bidder may contact the helpdesk at (02423)258885.
3. **Tendered/Contractor/Bidders are advised to follow the instructions provided in the ‘Instructions to the Contractors/Tenderer/Bidders for the e-submission of the bids online through the Government E-Tender website: www.mahatenders.gov.in’.**
4. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
5. **Tender Cost Fee:**
Tender Document fee **Rs.11,000/-** (Rupees- Eleven Thousand Only) online payment through NEFT/RTGS in Shri Saibaba Sansthan Trust, Shirdi, **State Bank of India, Branch-Shirdi savings Account No-30630896801(IFSC code- SBIN0005160)** Details of UTR NO should be Uploaded online.
6. **EMD Payment:**
Earnest Money Deposit (EMD) **Rs.1,10,000/-** (Rupees- One Lakh Ten Thousand Only) online payment through NEFT/RTGS in Shri Saibaba Sansthan Trust, Shirdi, **State Bank of India, Branch-Shirdi savings Account No-30630896801 (IFSC code- SBIN0005160)** Details of UTR NO should be Uploaded online.
 - a) Tenderer shall not be permitted to withdraw his offer or modify the terms and conditions thereof. In case the tenderer fail to observe and comply with stipulation made herein or backs out after quoting the rates, the aforesaid amount of earnest money will be forfeited.
 - b) The Firm who are registered with National Small Industries Corporation (NSIC) / OR Small Scale Industries (SSI) are exempted to submit the EMD (Copy of registration must be provide along with technical bid)
 - c) The EMD, in case of unsuccessful Bidders shall be retained by Shri Saibaba Sansthan Trust, shirdi till the finalization of the tender. No interest will be payable by Shri Saibaba Sansthan Trust, Shirdi on the EMD.
7. **Submission of Tender:**
 - a) The tender shall be submitted online in two part, viz., technical bid and financial bid. All the pages of bid being submitted must be signed and sequentially numbered by the bidder irrespective of nature of content of the documents before uploading.
 - b) In case of Technically Fault like Network error or website error or bidder cannot Upload Technical Bid after paid Tender Fees & EMD. Only EMD shall be Return to Bidder.

The offers submitted by Telegram/Fax/email shall not be considered. No correspondence will be entertained in this matter.

I. Technical Bid

The following documents are to be furnished by the bidder along with **Technical Bid** as per the tender document:

- a) Copy of constitution or legal status of the bidder manufacturer/Authorized Dealer.
- b) **Financial Status:-** Bidder must have an average annual turnover of Rs.30 Lakhs during the last 3 Financial years through supply/sale of fitness equipment, sports, goods, sports accessories etc. (Documentary proof C.A. Certified Statement of Turnover for last 3 years e.g. 2014-2015, 2015-2016 & 2016-2017.)
- c) The Technical Bid must be accompanied by UTR NOS. of the Payments of EMD and Tender Fees. The Payments of Tender Documents Fees and EMD Should be made in favour of Chief Executive Officer, Shri Saibaba Sansthan Trust, Shirdi and Deposited Online. The Detail are under-
State Bank of India, Branch Shirdi.,
(Saving Account No. 30630896801, IFSC code SBIN0005160)
- d) Certificate of Manufacture or Authorized Distributor.
- e) Experience Certificate from purchasers for supply and Installation of Gym. Equipments.
- f) Copy of PAN Card..
- g) Copy of GST registration certificate.
- h) Certificate as per given Annexure No-IV
- i) Catalogue / brochure/Technical Data of Equipments Catalogue to be supplied for indoor Gym.
- j) Duly Signed Tender document and their annexures.
- k) All other documents mentioned in tender document.

II. Financial Bid

- a) Price bid Form [As per Annexure-VI BOQ duly filled and signed] - Price must be quoted as per attached BOQ. Separately for each Equipments.

General Term & Conditions

1. **"PRE –BID Meeting" with the intending bidders shall be held on 23/03/2018 at 11:00 A.M. onwards at Shri Saibaba Temple Complex, Shirdi.** All the prospective bidders are requested to send comments/ representations on or before pre-bid meeting.
2. **Validity:**
 - a) The quoted rates must be valid for a period of 180 days from the last date of Submission of the tender. The overall offer for the assignment and bidder(s) quoted price shall remain unchanged during the period of validity. If the bidder quoted the validity shorter than the required period, the same will be treated as unresponsive and it may be rejected.
 - b) In case the tenderer withdraws, modifies or changed his offer during the validity period, bid is liable to be rejected and the earnest money deposit shall be forfeited without assigning any reason thereof. The tenderer should also be ready to extend the validity, if required, without changing any terms, conditions etc. of their original tender.
 - b) Technical Specifications are given in Annexure-I & II
 - d) Pre-Qualification Criteria in Annexure-III

3. **Technical Evaluation:**

- (a) Detailed technical evaluation shall be carried out by Shri Saibaba Sansthan Trust, Shirdi pursuant to conditions in the tender document to determine the substantial responsiveness of each tenderer. For this clause, the substantially responsive bid is one that conforms to all the eligibility and terms and condition of the tender without any deviation. Determination of bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence. Shri Saibaba Sansthan Trust, Shirdi, shall evaluate the technical bids also to determine whether the quoted specifications as per the catalogue submitted match the required technical specification mentioned in Annexure I & II. they are complete, whether the documents have been properly signed and whether the bids are in order.
- (b) If the specifications of the quoted make and model do not match with the specifications mentioned in Annexure I & II, the bidder shall be disqualified in Technical Evaluation.
- (c) **Shri Saibaba Sansthan Trust, Shirdi**, shall have right to accept or reject any or all tenders without assigning any reasons thereof.

4. **Financial Evaluation:**

- (a) The financial bid shall be opened of only those bidders who have been found to be technically eligible. The financial bids shall be opened in presence of representatives of technically eligible bidders, who may like to be present. The Shri Saibaba Sansthan Trust, Shirdi, shall inform the date, place and time for opening of financial bid.
- (b) After due evaluation of the bid(s) **Shri Saibaba Sansthan Trust, Shirdi**, will award the contract to the lowest evaluated responsive tenderer. Conditional bid will be treated as unresponsive and will be rejected.

5. **Award of Contract:** Shri Saibaba Sansthan Trust, Shirdi, shall consider placement of orders for jobs on those bidders whose offer s have been found technical and financially acceptable.

6. **Signing of Contract:** The successful bidder shall be required to execute the Contract Agreement accepting all terms and conditions stipulated herein on a non-judicial stamp paper of Rs. 500/- (Rs. Five Hundred only) within fifteen days of the issue of the Letter of notification of award along with performance security. In the event of failure on the part of the successful bidder to sign the Contract within the period stipulated above, the EMD shall be forfeited and the acceptance of BID shall be considered as cancelled.

7. **Security Deposit :** The successful tenderer will be required to furnish a Security Deposit of 5 % of order value The Security Deposit shall be refunded after expiry of Defect Liability Period. No interest shall be paid on security Deposit.

8. **Demonstration:** The bidders may be asked to demonstrate the product as and when required by Shri Saibaba Sansthan Trust, Shirdi failing which their bids/offer shall be rejected. The firms are intimated that they should get ready for demonstration and only 15 days time will be provided for arrangement of demonstration and no request for extending time for demonstration will be entertained. Failure to demonstrate, their offer will be summarily rejected. The expenditure incurred for demonstrating the items will be borne by the supplier, no Claim in this regard will be entertained.

9. **Rate:** Prices of individual items should include packing, forwarding, transport, insurance, loading/unloading, installation and GST. It should also include warranty and Defect Liability Charges. Rate should be quoted only in Indian Rupees (INR) on DOOR Delivery Basis at Shri Saibaba Sansthan Trust, Shirdi, Inclusive of all the charges, with break-up as:
- Basic Cost.
 - GST and Other taxes.
 - Total Cost (F.O.R. at Shri Saibaba Sansthan Trust, Shirdi).
10. **Manufacture authorization Certificate:** The bid must be submitted by manufacturer or authorized distributor. The bidders are required to provide manufacturer's authorization certificate on company's letterhead along with the technical bid (Documentary proof must be uploaded with technical bid).
11. **Warranty :**
- (a) The Tenderers quote must include 02 years comprehensive on-site warranty (Including all Spares, Accessories and Labour) from the date of completion of the satisfactory installation. And also Comprehensive Defects Liability Period Maintenance must be minimum 03 years after Comprehensive on-site Warranty. The warranty and Comprehensive Defects Liability Period Maintenance charges shall not be quoted separately otherwise the offer shall be summarily rejected. Failure to comply with this condition will entail the rejection of the bids.
- (b) No offer of the vendor will be accepted without warranty/ guarantee of their supplied/ installed goods.
12. **Downtime penalty Clause:**
- (a) The Bidder or their authorized service providers are required to submit a certificate that they have satisfactory service arrangements and fully trained staff available to support the uptime guarantee.
- (b) Comprehensive on-site warranty of 02 years is the responsibility of the supplier. If the supplier fails to provide quoted services of the Warranty period, then a penalty at the rate of 0.2% per day of the total order value will be charged from the supplier.
13. **Authority of person signing document:** A person signing the tender form or any documents forming part of the contract on behalf of another shall be deemed to warrant, that he has authority to bind such other and if, on enquiry, it appears that the person so, signing had no authority to do so, Shri Saibaba Sansthan Trust, Shirdi may without prejudice to other Civil and criminal remedies cancel contract and hold the signatory liable for all cost and damages.
14. **Delivery and Installation:** The items shall be delivered and successfully installed/ commissioned within 15 days from the issue of supply order from Shri Saibaba Sansthan Trust, Shirdi. The successful tenderer will also provide required training to the Gym staff free of cost for supplied items at Shri Saibaba Sansthan Trust, Shirdi. The goods shall be manufactured by adopting latest technology.
- All the aspects of safe delivery, installation and commissioning is the exclusive responsibility of the supplier. If the supplier fails to deliver, install and commissioning the goods on or before the stipulated date, then a penalty at the rate of 0.5% per week of the total order value shall be levied subject to a maximum of 5% of the total order value.
- In the case of package supply where the delayed portion of supply materially hampers installation and commissioning of the systems, liquidated damage charges shall be levied as above on the total value of the concerned package of the purchase order. Quantum of liquidated damages assessed and levied by the purchaser shall be final and not challengeable by the supplier.

15. **Right of acceptance:** Shri Saibaba Sansthan Trust, Shirdi reserves the right to accept the whole or any part or portion of the bid; and the bidder shall provide the same at the rates quoted. Shri Saibaba Sansthan Trust, Shirdi reserves the right to reject any or all tenders or all offers received in response to the tender or cancel or withdraw the tender notice without assigning any reason thereof and also does not bind itself to accept the lowest quotation or any tender and no claim in this regard shall be entertained.
16. **Inspection:**
- (a) Shri Saibaba Sansthan Trust, Shirdi shall have the right to inspect and/or to test the goods to establish their conformity to the NIT Specifications at no extra cost to the Purchaser.
 - (b) Shri Saibaba Sansthan Trust, Shirdi right to inspect, test and, wherever necessary, reject the Goods after the goods arrival at the final destination it shall in no way be limited or waived by reason of the Goods having previously been inspected, tested and passed by Shri Saibaba Sansthan Trust, Shirdi prior to the goods shipment.
 - (c) Shri Saibaba Sansthan Trust, Shirdi shall be the final authority to reject full or any part of the supply which is not conforming to the specification and other terms and conditions.
 - (d) No payment shall be made for rejected Stores. Rejected items must be removed by the Bidders within two weeks of the date of rejection at their own cost and replaced immediately. In case these are not removed, these will be auctioned at the risk and responsibility of the suppliers without any further notice.
17. **Payment Term:** The Payment will made through NEFT/RTGS by Sansthan to the Bank Account as Mentioned in the Bank Mandate after satisfactory delivery & installation/ commissioning of the material. The bill should have full particulars of the items. No Payment shall be made in advance nor shall the loan from any of financial institutions be recommended on the basis of the order of award of work. The Bidder shall submit the bill only after supply & installation/ commissioning of the material to the satisfaction of Shri Saibaba Sansthan Trust, Shirdi. No payment will be made for goods rejected.
18. **Payment Conditions :**
- 1. **90 %** after Supply, Commissioning, Testing and Satisfactory Installation.
 - 2. **5 %** after Satisfactory Training and Satisfactory Performance for the Equipments and probably within 2 months.
 - 3. **5 %** paid after Completion of Defect Liability Period.
19. **Specification:** Bids which are not meeting the bid specifications are not permitted and will be rejected.
20. **Experience:** Bidder should have at least 5 year experience in supply and Installation of indoor Gym. Equipments. (Documentary proof must upload with technical bid). Bidders who do not have the requisite experience will be rejected.
21. **Breach of Terms and Conditions:** In Case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to reject the bid at any stage without assigning any reason thereof and nothing will be payable by Shri Saibaba Sansthan Trust, Shirdi. In that event the EMD shall also stands forfeited.

22. The Tenderers should furnish a copy of G.S.T. registration number.

23. Bidder shall submit a copy of the tender document and addendum/corrigendum thereto, if any, with each page of this document should be signed and stamped to confirm the acceptance of the entire terms & conditions as mentioned in the tender enquiry document.

24. Shri Saibaba Sansthan Trust, Shirdi reserves the right to accept in part or in full or reject any or more tender(s) without assigning any reasons or cancel the tendering process and reject all tender(s) at any time prior to award of contract, without incurring any liability, whatsoever to the affected bidder or bidder(s).

25. Shri Saibaba Sansthan Trust, Shirdi reserves the right to accepting the whole or any part or portion of the bid; and the bidder shall provide the same at the rates quoted. Shri Saibaba Sansthan Trust, Shirdi reserves the right to reject any or all tenders or all offers received in response to the tender or cancel or withdraw the tender notice without assigning any reason thereof and also does not bind itself to accept the lowest Tender or any tender and no claim in this regard shall be entertained.

26. Applicable Law:

- 1) The Contract shall be governed by laws and procedures established by Govt. of India, within the frame work of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing.
- 2) Any disputes are subject to exclusive jurisdiction of competent court and forum in Rahata/Kopergaon court only.

**Chief Executive Officer,
Shri Saibaba Sansthan Trust, shirdi**

Annexure-1

Sr.No.	Description of machinery & equipments	Qty
01	<p><u>Commercial Motorized Treadmill</u> (Motor : 4.0 HP / 8.0 HP (P) AC) Motor :- 4.0 Drive : Rhombus Based drive system Speed Range : 1.0-20 Km/hr. Product Assembly Area : 223x93x161 cm Walking Area : 62" x 22.5" Incline : 20 degree Max. user Weight : 180 Kgs. Display Type : Multi window LED Display Display Reading : Time, Speed, Distance, Incline, Heart Rate, Body Fat, & Calories Program : 12 Intelligent running program, 3 user define Features : Double safety protection function with both emergency stop and soft stop. PU handrail, High-Power HiFi system, MP3 Audio Input, Body mass measurement for user to evaluate body mass index, mass index, Professional and simple user operation interface, quick button for speed, incline, program, Humanity management of system setting, lower energy consumption design, application for wider voltage range, Multilayer shock absorption system.Main Features: Auto Motor belt tighten, Auto Running belt tighten</p>	04 Nos.
02	<p><u>Commercial Elliptical Trainer</u> Maximum User Weight : 150kgs Flywheel Weight : 11 KGS Fly Wheel Stride Length : 21" Resistance levels : 32 levels Magnetic (Self generated system) Display Type : LED Display Reading : Speed, Time, Distance, Calories, Pulse, Recovery, User Program, WATT Program, HRC, Program : 12 Programs , Assembly Dimension : 2000*610*1650mm Features : Hand held Heart Rate, Heavy Foot Pedal, Moving Wheel,Dual Arm Drive, I Pad Holder, User Program(4), Water Bottle Holder</p>	02 Nos.
03	<p><u>Spinning Bike</u> Use : Commercial Grade Display : Time, Speed, Calories, Set, Scan Fly Wheel : 22Kg with 2 way system Features : Belt transmission system, 3 PCS Crank, Stepless resistance adjustable system Saddle : Horizontal and Vertical Handlebar : Horizontal and Vertical , Maximum User Weight : 150Kgs Assembly Size: 52" x 21" x 43"</p>	02 Nos.
04	<p><u>Body Vibrator (imported)</u> Electrically stimulated vibrating platform with handles</p>	01 No.
05	<p><u>Pectoral Fly / Rear Delt</u> Training Motion : Isolateral arm with converging and diverging arcs of motion. Frame : 50 x 120mm heavy-gauge flat oval steel tubing Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches.</p>	01 No.

	<p>Cushions : Durable high density Polyurethane cushion covered in double stitched fabric Leather.</p> <p>Grips : Non-absorbing PVC compound retained with aluminum collars.</p> <p>Frame Protection : Heavy-duty molded PVC foot guards, non-slip contact with the floor and protect flooring surfaces from damage.</p> <p>Counter : 5 digital counter (time, count, target count, cal, scan) located on the weight stack tower conveniently viewed by user., Weight Stacks : Black painted steel weight plates with self aligning low friction sleeves.</p> <p>Weight Selectors : Magnetic color coded pin with Coiled lanyard. 2.5 kgs incremental weight plate.</p>	
06	<p><u>Vertical Chest Press</u></p> <p>Training Motion: Isolateral arm with converging and diverging arcs of motion.</p> <p>Frame : 50 x 120mm heavy-gauge flat oval steel tubing, Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches. Cushions : Durable high density Polyurethane cushion covered in double stitched fabric Leather.</p> <p>Grips : Non-absorbing PVC compound retained with aluminum collars.</p> <p>Frame Protection : Heavy-duty molded PVC foot guards, non-slip contact with the floor and protect flooring surfaces from damage.</p> <p>Counter : 5 digital counter (time, count, target count, cal, scan) located on the weight stack tower conveniently viewed by user.</p> <p>Weight Stacks : Black painted steel weight plates with self aligning low friction sleeves.</p> <p>Weight Selectors : Magnetic color coded pin with Coiled lanyard. 2.5 kgs incremental weight plate.</p>	01 No.
07	<p><u>Lat Pull Down</u></p> <p>Training Motion : Isolateral arm with converging and diverging arcs of motion.</p> <p>Frame : 50 x 120mm heavy-gauge flat oval steel tubing</p> <p>Finish : High Quality electrostatic powder coat finish.A standard two-coat powder coating that's highly resistant to chips and scratches.,</p> <p>Cushions : Durable high density Polyurethane cushion covered in double stitched fabric Leather.</p> <p>Grips : Non-absorbing PVC compound retained with aluminium Collars,</p> <p>Frame Protection: Heavy-duty molded PVC foot guards, non-slip contact with the floor and protect flooring surfaces from damage.</p> <p>Counter : 5 digital counter (time, count, target count, cal, scan) located on the weight stack tower conveniently viewed by user.</p> <p>Weight Stacks : Black painted steel weight plates with self aligning low friction sleeves.</p> <p>Weight Selectors : Magnetic color coded pin with Coiled lanyard. 2.5 kgs incremental weight plate.</p>	01 No.
08	<p><u>Seated Rowing</u></p> <ul style="list-style-type: none"> - Independent cable movement provides a user defined path of motion and exercise variety. - Adjustable chest pad accommodates users of all sizes - Rotating grips provide maximal comfort and ergonomic hand positioning throughout range of motion. - Incremental weight - 	01 No.

09	<p><u>Shoulder Press</u></p> <p>Training Motion : Isolateral arm with converging and diverging arcs of motion.</p> <p>Frame : 50 x 120mm heavy-gauge flat oval steel tubing</p> <p>Finish : High Quality electrostatic powder coatfinish. A standard two-coat powder coating that's highly resistant to chips and scratches.</p> <p>Cushions : Durable high density Polyurethane cushion covered in double stitched fabric Leather.</p> <p>Grips : Non-absorbing PVC compound retained with aluminum collars</p> <p>Frame Protection : Heavy-duty molded PVC foot guards, non-slip contact with the floor and protect flooring surfaces from damage.</p> <p>Counter : 5 digital counter (time, count, target count, cal, scan)located on the weight stack tower conveniently viewed by user.</p> <p>Weight Stacks : Black painted steel weight plates with self aligning low friction sleeves.</p> <p>Weight Selectors : Magnetic color coded pin with Coiled lanyard. 2.5 kgs incremental weight plate.</p>	01 No.
10	<p><u>Biceps Curl</u></p> <p>Training Motion : Isolateral arm with converging and diverging arcs of motion.</p> <p>Frame : 50 x 120mm heavy-gauge flat oval steel tubing.</p> <p>Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches.</p> <p>Cushions : Durable high density Polyurethane cushion covered in double stitched fabric Leather.</p> <p>Grips : Non-absorbing PVC compound retained with aluminum collars</p> <p>Frame Protection : Heavy-duty molded PVC foot guards, non-slip contact with the floor and protect flooring surfaces from damage.</p> <p>Counter : 5 digital counter (time, count, target count, cal, scan)located on the weight stack tower conveniently viewed by user.</p> <p>Weight Stacks : Black painted steel weight plates with self aligning low friction sleeves.</p> <p>Weight Selectors : Magnetic color coded pin with Coiled lanyard. 2.5 kgs incremental weight plate.</p>	01 No.
11	<p><u>Seated Leg Curl / Extension (with R.O.M.)</u></p> <p>Training Motion : Isolateral arm with converging and diverging arcs of motion.</p> <p>Frame : 50 x 120mm heavy-gauge flat oval steel tubing.</p> <p>Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches.</p> <p>Cushions : Durable high density Polyurethane cushion covered in double stitched fabric Leather.</p> <p>Grips : Non-absorbing PVC compound retained with aluminum collars.</p> <p>Frame Protection : Heavy-duty molded PVC foot guards, non-slip contact with the floor and protect flooring surfaces from damage.</p> <p>Counter : 5 digital counter (time, count, target count, cal, scan) located on the weight stack tower conveniently viewed by user.</p> <p>Weight Stacks : Black painted steel weight plates with self aligning low friction sleeves.</p> <p>Weight Selectors : Magnetic color coded pin with Coiled lanyard. 2.5 kgs incremental weight plate.</p>	01 No.

12	<p><u>Horizontal Leg Curl (Prone leg curl)</u></p> <p>L*B*H : 1754*1168*1545mm</p> <p>Stack Weight : 100 kg</p> <p>Gross Weight : 159 kg (without weight stacks)</p> <p>Main Frame - 50 x 100mm heavy-gauge flat oval steel tubing</p> <p>Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches.</p> <p>Adjustments : Intuitive color coded and spring loaded push-pull pin.</p> <p>Cushions : Durable high density cushion covered in stitched vinyl.</p> <p>Grips : Non-absorbing PVC compound retained with aluminum collars.</p> <p>Frame Protection : Heavy-duty molded PVC foot guards, non-slip contact with the floor and protect flooring surfaces from damage.</p> <p>Weight Stacks : Black painted steel weight plates with self aligning low friction sleeves.</p> <p>Weight indicators in lb. and kg.</p> <p>Weight Selectors : Magnetic color coded pin with Coiled lanyard.</p>	01 No.
13	<p><u>45° Leg Press</u></p> <p>L*B*H : 2509*1749*1543mm</p> <p>Stack Weight : 100Kg</p> <p>Main Frame - 60*120 mm oval tube,</p> <p>Moving ARM - 76mm Dia - 3mm thick ,</p> <p>Connecting Frame - 40x80 mm oval tube</p> <p>Bearing Sealed bearing self lubricant</p> <p>Cushion Thickness - 75mm</p> <p>Cusion Material : Ploymeric material</p> <p>Average weigth loading - 300kgs or more</p> <p>Plate rod - Stainless Steel</p> <p>Seat -Nylon steping Easily Adjustable piston and spring mechanism. All end with Aluminium cappings</p> <p>Bolts and nut - High Grade Hexogan</p> <p>Floor rest - Hard Rubber.</p>	01 No.
14	<p><u>Cable Crossover</u></p> <p>L*B*H : 150" x 54" 93"</p> <p>Stack Weight : 200 kgs</p> <p>Machine Weight : 483 kgs</p> <p>Main Frame - 50 x 100mm heavy- gauge flat oval steel tubing</p> <p>Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches.</p> <p>Adjustments : Intuitive color coded and spring loaded push-pull pin.</p> <p>Cushions : Durable high density cushion covered in stitched vinyl.</p> <p>Grips : Non-absorbing PVC compound retained with aluminum collars.</p> <p>Frame Protection : Heavy-duty molded PVC foot guards, non-slip contact with the floor and protect flooring surfaces from damage.</p>	01 No.

	<p>Weight Stacks : Black painted steel weight plates with self aligning low friction sleeves. Weight indicators in lb. and kg.</p>	
15	<p><u>Seated Calf Raise</u> L*B*H : 1500*760*1010mm Stack Weight : 100Kg Main Frame - 60*120 mm oval tube Moving ARM - 76mm Dia - 3mm thick Connecting Frame - 40x80 mm oval tube Bearing Sealed bearing self lubricant, Cushion Thickness - 75mm Cusion Material : Polymeric material Average weigth loading - 300kgs or more Plate rod - Stainless Steel, Seat -Nylon stepping Easily Adjustable piston and spring mechanism All end with Aluminium cappings Bolts and nut - High Grade Hexogan Floor rest - Hard Rubber</p>	01 No.
16	<p><u>Smith & Multi Functional Trainer</u> Dimension : 2730×1440×2550 Machine Weight : 445 Kgs Stack Weight : 184 Kg</p>	01 No.
17	<p><u>Olympic Flat Bench</u> L*B*H : 1685*1685*1373mm Gross Weight : 88kg Main Frame - 50 x 100mm heavy-gauge flat oval tubing Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches. Adjustments : Intuitive color coded and spring loaded pull-pin. Cushions : Durable high density cushion covered in stitched vinyl. Grips : Non-absorbing PVC compound retained with aluminum collars. Frame Protection : High density PVC foot guards, chromed plate holders and bar supports protect the finish well</p>	02 Nos.
18	<p><u>Olympic Decline Bench</u> L*B*H : 2010*1660*1375mm Gross Weight : 98kg Main Frame - 50 x 100mm heavy-gauge flat oval tubing Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches. Adjustments : Intuitive color coded and spring loaded pull-pin. Cushions : Durable high density cushion covered in stitched vinyl. Grips: Non-absorbing PVC compound retained with aluminum collars. Frame Protection: High density PVC foot guards, chromed plate holders and bar supports protect the finish well</p>	02 Nos.

19	<p><u>Olympic Incline bench</u> L*B*H : 1675*1670*1373mm Gross Weight : 120kg Main Frame - 50 x 100mm heavy-gauge flat oval tubing Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches. Adjustments : Intuitive color coded and spring loaded pull-pin. Cushions : Durable high density cushion covered in stitched vinyl. Grips : Non-absorbing PVC compound retained with aluminum collars. Frame Protection : High density PVC foot guards, chromed plate holders and bar supports protect the finish well</p>	02 Nos.
20	<p><u>Multi Adjustable Bench</u></p> <ul style="list-style-type: none"> - Space saving design allows a flat and an incline bench in on piece - Seat pad adjusts from 0 to 30 & #186, while pack pad adjusts from 5 to 85 & #186 - Integrated wheels and handle facilitate movement around facility 	04 Nos.
21	<p><u>Utility Bench</u> L*B*H : 1166*638*823mm Gross Weight : 36 kg Main Frame - 50 x 100mm heavy-gauge flat oval tubing Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches. Adjustments : Intuitive color coded and spring loaded pull-pin. Cushions : Durable high density cushion covered in stitched vinyl. Grips : Non-absorbing PVC compound retained with aluminum collars. Frame Protection : High density PVC foot guards, chromed plate holders and bar supports protect the finish well</p>	01 No.
22	<p><u>Bach Extion Bench</u> <u>FID Bench - Flat / Incline (90Deg) / Decline (5Deg)</u> L*B*H : 1365x680x1290mm Stack Weight : 100Kg Main Frame - 60*120 mm oval tube Moving ARM - 76mm Dia - 3mm thick Connecting Frame - 40x80 mm oval tube Bearing Sealed bearing self lubricant Cushion Thickness - 75mm, Cusion Material : Ploymeric material Average weigth loading - 300kgs or more Plate rod - Stainless Steel Seat -Nylon stepping Easily Adjustable piston & spring mechanism All end with Aluminium cappings , Bolts and nut - High Grade Hexogan Floor rest - Hard Rubber.</p>	01 No.
23	<p><u>Sitting and Standing Twister</u> Ergonomically designed stisting device</p>	01 No.

24	<p><u>2-Tier Dumbbell Rack</u> L*B*H : 1980*791*724mm Gross Weight : 63kg Main Frame - 50 x 100mm heavy-gauge flat oval tubing Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches. Adjustments : Intuitive color coded and spring loaded pull-pin. Cushions : Durable high density cushion covered in stitched vinyl. Grips : Non-absorbing PVC compound retained with aluminum collars. Frame Protection : High density PVC foot guards, chromed plate holders and bar supports protect the finish well.</p>	02 Nos.
25	<p><u>Barbell Rack (Olympic Bar Rack)</u> L*B*H : 939*919*1630mm Gross Weight : 50 kg Main Frame - 50 x 100mm heavy-gauge flat oval tubing Finish : High Quality electrostatic powder coat finish. A standard two-coat powder coating that's highly resistant to chips and scratches., Adjustments : Intuitive color coded and spring loaded pull-pin., Cushions : Durable high density cushion covered in stitched vinyl. Grips : Non-absorbing PVC compound retained with aluminum collars. Frame Protection: High density PVC foot guards, chromed plate holders and bar supports protect the finish well</p>	01 No.
26	<p><u>Olympic Plate Tree</u></p> <ul style="list-style-type: none"> - Ergonomic design positions heavier plates further off the ground for easier removal and replacement - Rubber bumpers on horns protect frame finish - Nine chrome plated storage horns for Olympic plates 	01 No.
27	<p><u>Hex Rubber Dumbbell</u> 2.5, 5, 7.5, 10, 12.5, = 2 pairs</p>	150 kg
	<p>15, 20, 25, 30, 35, 40, 45, 50, 55, 60 = 1 pair</p>	750 kg
28	<p><u>Olympic Rubber Plate</u> 2.5-4, 5-5, 10-5, 15-5, 20-6 = 1 pair</p>	590 kg
29	<p><u>Olympic Bar</u> 7ft-3, 4ft-1, Ez 4ft -1,</p>	29 ft
30	<p><u>Accessories</u> (Hameer curl Bar, Straight Handle, Ez curl handle, V tricep Handle sharp, Rowing, bicep/tricep handle)</p>	1 Set
31	<p><u>Rubber Tile</u> - 20mm (500mm x 500mm)</p>	1500 Pcs.

**Chief Executive Officer,
Shri Saibaba Sansthan Trust, shirdi**

Annexure-II

General Specification

1. All products should be for Heavy commercial use with metal frame body.
2. All machines must be made on bio- mechanical principles to perform natural movements.
3. High quality powder coating finish.
4. High quality continuous welded, factory assembled weight frame, and sand blasted mouldings for all bends of the square/oval/circular pipe used.
5. All equipment of quality material and fittings.
6. Adjustable seats with high density and quality upholstery. Non-magnetic steel handles with rubber coat finish of handles with various grip provisions (close & wide) with non-slip texture.
7. High quality pulleys made of high quality synthetic fiber.
8. High quality cables/wires or belts for pulleys.
9. Quick ratcheting seat and lever adjustment system to take minimum time for adjustment.
10. Adequate damping system for weight stack suspension with quality weight stack pins / switch, etc.
11. Provision of variable increment weight stack suspension with quality weight stacks pins / switch, etc.
12. Shrouded weights stack guards and pulley covers to protect from accidents.
13. Smooth operational machines with high precision transmission system and weight stack assembly which reduces friction (rubber bumpers under each weight stack).
14. High degree adjustable mechanism which allows for easy adjustment for users.
15. Machines should be based on cam/pulley/lever system as per requirement of the exercise equipment.
16. Provision to perform at various ranges of motion/ angles fitting all user sizes.
17. Standard rubber feet to protect frame from slipping and other damage.

**Chief Executive Officer,
Shri Saibaba Sansthan Trust, shirdi**

Annexure-III

(Pre Qualifying Criteria)

S. No.	Details of the Tenderer/Bidder	Page No.	Remarks
1	Name of the Tenderer/Bidder		
2	Complete Address:		
3	State clearly whether it is sole proprietor or Partnership firm or a company or Authorized Dealer.		
4	Details of the Earnest Money Deposit (EMD) (Yes/No) UTR No: Dated: Bank Name: Amount: (Rupees.....)		
5	Details of the cost of the Tender documents (Yes/No) UTR No: Dated: Bank Name: Amount: (Rupees.....)		
6	Whether each page of NIT and its annexure have been signed and stamped by duly Authorized person Upload Authority Letter.		
7	Copy of GST Registration.		
8	Permanent Account No. (PAN NO.)		
9	Certificate of Manufacture/ Authorized Distributor/ Authorized Dealer/ Authorized Sub- Dealer		
10	Experience Certificate		
11	C.A. Certificate of Annual turnover for last 03 Years.		
12	Duly Signed Tender Document and their Annexures.		
13	Certificate as per given Annexure-IV		
14	Catalogue Mentioning detailed specifications of each equipment should be submitted.		
15	Catalogue of quoted Make & Model.		
16	Certificate as per Annexure V		
17	Certificate for satisfactory service Arrangements as per clause No.12 of Tender.		
18	Email ID		
19	Contact No.		

Date:

Place:

Name :

Business Address :

Signature of Bidder :

Seal of the Bidder :

Annexure-V

Certificate

Certificate for Warranty and Defect Liability Period.

This is to certify that the rate quoted for the Supply, Commissioning, Installation & Defect Liability Period Maintenance of Gym. Equipments at Shri Saibaba Sansthan Trust, Shirdi includes the charges for Warranty and Defect Liability Period.

Date:	Name	:
Place:	Business Address	:
	Signature of Bidder	:
	Seal of the Bidder	:

Annexure - IV

CERTIFICATE

(To be submitted on letter head of the company/ firm)

I hereby certify that the above firm has not been ever blacklisted by any Central/State Government/Public Undertaking/Institute on any account.

I also certify that the above information is true and correct in every respect and in any case at a later date if it is found that any details provided above are incorrect, any contract given to the above firm may be summarily terminated and the firm blacklisted.

I also certify that firm will supply the item as per the specification given by institution and also Abide by all the terms & conditions stipulated in tender

Date:	Name	:
Place:	Business Address	:
	Signature of Bidder	:
	Seal of the Bidder	:



