

**SHRI SAIBABA SANSTHAN TRUST, SHIRDI**

SHIRDI: Post: Shirdi - 423109, Tal. Rahata, Dist. Ahmednagar, Maharashtra (India).
Telephone: +91 - 2423 - 258 671-672-673, Fax: +91 - 2423 - 258660, Telegram: Sainath, Shirdi.
Email : saibaba•hospital@sai•org•in

NO.SSS/WS/SSBH/STORES/(P/S)/ /2017
DATE:

To,

Sub: - Quotation for supply of Photo Copier Machine (Mini Xerox Machine) for Shri Saibaba Hospital.

Dear Sir,

We have to purchase of Photo Copier Machine (Mini Xerox Machine) for Cathlab Dept. of our Shri Saibaba Hospital, Shirdi as per Technical Specification given in enclosed Annexure "A" ^{ON} the following terms and conditions.

Terms and Condition

1. The Photo Copier Machine (Mini Xerox Machine) will have to be supplied F.O.R. Shirdi.
2. The rate should be inclusive of GST, transport charges, T.O.T. Etc.
3. You will have to mention name of the company, packing, rate per unit, total cost etc.
4. Packing, forwarding, and other charges will not be paid by the Sansthan.
5. The delivery of the ordered material will have to made at Shri Saibaba Hospital, Shirdi on any working days between 10 a.m. to 6 p.m.
6. In case if supply is not made in the proper time and if material is to be purchased from other party at higher rates than the rates given in quotation you will be responsible to compensate the excess amount paid by the Sansthan.
7. You will have to supply the ordered material at the quoted rates in the quotation and no increase will be given or allowed in the rates for any reason whatsoever.
8. In case of breakage / leakage in transit, prior to delivery to Sansthan, you will have to replace the same immediately failing which payment will be made by deducting the cost of the same.

Page No. 2/-



**SHRI SAIBABA SANSTHAN TRUST, SHIRDI**

SHIRDI: Post: Shirdi - 423109, Tal. Rahata, Dist. Ahmednagar, Maharashtra (India).
Telephone: +91 - 2423 - 258 671-672-673, Fax: +91 - 2423 - 258660, Telegram: Sainath, Shirdi.
Email : saibaba•hospital@sai•org•in

Page No. 2

9. Payment will be made by the Sansthan on confirmation of the name of the company, quality, quantity, grade if any etc. as specified in the quotation. No advance payment will be made against the supply.
10. All the Equipments shall be new and manufactured from virgin materials. All the requirements of this supply shall be sourced from the original equipment manufacturer of the model quoted. In case the machine is imported one to import substitution is permitted neither before the wards nor after the award for any part or accessory.
11. Any accessory / accessories not mentioned specifically but required to make system working will have to be supplied without any extra cost.
12. The supplier has to mention the one time visit charges for breakdown and servicing.
13. Equipment mentioned in the Technical specification shall operate on 230V \pm 10%, 50Hz, single phase electric supply if not mentioned specifically.
14. The necessary protective relaying / circuitry shall be there with the machines.
15. The equipment shall have valid CE marking and US FDA approval (Wherever necessary) and documentary evidence to that effect shall be submitted.
16. The equipment shall be having warranty of 01 year. The warranty and CMC shall cover the batteries and lamps irrespective of whether those are treated as consumables or otherwise.
17. Minimum 4 Nos. of preventive maintenance visits and unlimited breakdown call visits as per requirement must be attended in the warranty and AMC/CMC period. The services to the equipment in warranty and CMC period will be considered as same.
18. The equipment should be provided with one hard copy in original of the detailed service manual and operation manual. Further, a soft copy is also required.
19. Repairs and maintenance training to two Biomedical Engineers should be given for one week or more as per requirement.
20. The equipment must be tropicalized as below-
Working Temperature : Max.45^o
Storage Temperature : Max.50^oC,
Relative humidity for working : 40 - 60%,
Relative humidity for Storage : Max 90%

Page No. 3/-





SHRI SAIBABA SANSTHAN TRUST, SHIRDI

SHIRDI: Post: Shirdi - 423109, Tal. Rahata, Dist. Ahmednagar, Maharashtra (India).
Telephone: +91 - 2423 - 258 671-672-673, Fax: +91 - 2423 - 258660, Telegram: Sainath, Shirdi.
Email : saibaba•hospital@sai•org•in

Page No. 3

21. Among the other things, the responsiveness in Technical Bid will be based on successful demonstration of the offered model of the equipments to SSST officials as mentioned elsewhere in the tender specifications.
22. The supplier has to submit user list with contact telephone numbers for the model quoted.
23. The supplier has to give past performance certificate of the quoted equipment.
24. The supplier should submit all the Datasheets of the quoted model for technical comparison.
25. The product should be time tested, branded and should be OEM.
26. The life of the equipment should be mentioned.
27. The quotation must be clearly mention on the sealed envelops "Photo Copier Machine (Mini Xerox Machine) of Shri Saibaba Hospital".
28. The quotation in sealed cover may please be submitted to our Shirdi office on or before Dt. 04/11/2017.

Thanking you and with blessings of Shri Saibaba.

Yours Sincerely,

Shri Saibaba
26-10-2017

Administrative Officer,
Shri Saibaba Sansthan Trust, Shirdi





PTR. NO. : E-69, AHMED NAGAR

SHRI SAIBABA SANSTHAN TRUST, SHIRDI

SHIRDI: Post: Shirdi - 423109, Tal. Rahata, Dist. Ahmednagar, Maharashtra (India).
Telephone: +91 - 2423 - 258 671-672-673, Fax: +91 - 2423 - 258660, Telegram: Sainath, Shirdi.
Email : saibaba-hospital@sai-org.in

Shri Saibaba Hospital, Shirdi.

Annexure "A"

Requirement of Photo Copier Machine (Mini Xerox Machine) for Cathlab Dept. of Shri Saibaba Hospital.

Sr. No.	Description	Qty.	Rate Per in Rs. (Incl. of all Taxes)	Total Amt. in Rs.
01	Photo Copier Machine	01		
	<input type="checkbox"/> Speed : Max. 20 ppm			
	<input type="checkbox"/> Main Functions: Copy, Print, Scan, Fax			
	<input type="checkbox"/> Resolution : 600 dpi x 600 dpi			
	<input type="checkbox"/> Duty Cycle : min. 25000 Pages per Month			
	<input type="checkbox"/> Memory : 1 GB upgradable to 500 GB			
	<input type="checkbox"/> Display: min. 5-6 lines LCD			
	<input type="checkbox"/> Paper Handling : 300 sheets			
	<input type="checkbox"/> Paper input size: A) Standard: Duplex Automatic Document Feeder: 50 sheets; Standard sizes : 5.5X8.5in. To 11X17 in./ A5to A3, Letter, Legal			
	Custom sizes: 3.3X4.9in.to 11.7X17 in./ 85X125mm to 297X432mm			
	B) Trays 1, 2 with Stand : 250 sheets each; Custom Sizes: 5.5X7.2in,to11.7X17 in/140x180mm to 297X432mm			
	Bypass tray: 100 sheets			
	<input type="checkbox"/> Paper Output Standard : Dual Tray: 250 Sheets Each ; Lower output offset			
	<input type="checkbox"/> Integrated Stapler & Hole Punch: Standard			
	<input type="checkbox"/> Automatic two-sided Printing: Standard			
	<input type="checkbox"/> Copy:			
	1 Resolution: 600 dpi x 600 dpi			
	2.Copy speed: min. 20 copies per minute			
	3. First-page-out time: Maximum 8 seconds			
	4. Copy features: Automatic two-sided, Electronic pre-collation, Automatic tray selection, Build job, Negative/ Mirror Image, Automatic booklet creation, multi-up, Mixed-size originals, Covers insertion, Sample set book copying, Annotation, Delete outside/ Delete Inside poster Mode, Watermarks. ID Card copy, Page Layout Form Overlay, Background Suppression, Reduce /Enlarge, Lighten/ Darken, Auto fit			

MUMBAI: Sainiketan, 804 - B, Dr. Ambedkar Marg, Dadar, Mumbai - 400014

Telephone: + 91 - 22 - 24166556, Fax: + 91 - 22 - 24150798. Telegram: Sainiketan, Mumbai.

Website: <http://www.shrisaibabasansthan.org>, E_mail: saibaba_anr@sancharnetin/saisandesh_anr@sancharnetin

**SHRI SAIBABA SANSTHAN TRUST, SHIRDI**

SHIRDI: Post: Shirdi - 423109, Tal. Rahata, Dist. Ahmednagar, Maharashtra (India).
Telephone: +91 - 2423 - 258 671-672-673, Fax: +91 - 2423 - 258660, Telegram: Sainath, Shirdi.
Email : saibaba.hospital@sai.org.in

Sr. No.	Description	Qty.	Rate Per in Rs. (Incl. of all Taxes)	Total Amt. in Rs.
	<input type="checkbox"/> Print:			
	1. Resolution (max): Fine 1200 x 1200 dpi; 600 dpi x 600 dpi			
	2. Speed: min. 30 copies per minute			
	3. First-Page-out time: Max. 8 seconds			
	4. Memory: 64 MB			
	5. Connectivity: 10/100/1000Base-TX Ethernet, High Speed USB 2.0 direct Print, Bluetooth		/i	
	6. USB Memory Printing Format: TIFF,PDF,JPEG,XPS			
	7. Print Features: Automatic two-sided, Secure Print , Delay Print Sample Set, Booklet Creation, Cover selection , Paper selection by attribute, N-up, Watermarks, Banner Sheets ,fit to new paper size, Output tray selection, Print from USB			
	<input type="checkbox"/> Scan :			
	1. Resolution: min. 600 dpi			
	2. Speed: min. 20 original per minute with 600 dpi			
	3. Original Size: A5-A3/ Legal			
	4. Original Recognition: Text , Photo, Text + Photo, OCR			
	5. File Format: TIFF, PDF,JPEG, XPS			
	6. Scan Features: PDF, Liberalized PDF,PDF/ A TIFF, JFIF,JPEG,XPS, Color Scan, Scan to Email, Scan to Folder, Scan to TWAIN application			
	<input type="checkbox"/> Fax:			
	1. Original Size: A5-A3/ Legal			
	2. Circuit: PSTN,PBX			
	3. Compatibility: ITU-T(CCITT)G3,ITU-T(T.37)Internet Fax, ITU-T(T-38)IP Fax,Walkup PSTNfax(one line and three line options),LAN Fax via driver			
	4. Modem Speed: 34Kbps			
	5. Scanning Speed: 1 second (A4/SEF)			
	6. Memory Capacity: 5 MB			
	7. Fax Features: Fax forward, two sided send & receive, Print On, Fax upto A3/ (11 x17in)			
	<input type="checkbox"/> Operating System Support:Windows 2000/XP/ Vista, Windows 7/8,Server 18/2003/2008			
	<input type="checkbox"/> Operators should be given training for its regular use & maintenance training should be given to Biomedical Engineer free of cost.			






PTR. NO. : E-69, AHMED NAGAR

SHRI SAIBABA SANSTHAN TRUST, SHIRDI

SHIRDI: Post: Shirdi - 423109, Tal. Rahata, Dist. Ahmednagar, Maharashtra (India).
Telephone: +91 - 2423 - 258 671-672-673, Fax: +91 - 2423 - 258660, Telegram: Sainath, Shirdi.
Email : saibaba•hospital@sai•org•in

Sr. No.	Description	Qty.	Rate Per in Rs. (Incl. of all Taxes)	Total Amt. in Rs.
	<input type="checkbox"/> All Technology should be mandatorily with safety approval- UL & CE. Approval certificate must be submitted for the total unit.			
	<input type="checkbox"/> The product should be time tested, branded and should be OEM			
	<input type="checkbox"/> A suitable UPS should be provided			
	<input type="checkbox"/> Warranty - 1 Year.			
	<input type="checkbox"/> AMC/CMC Cost - AMC/CMC Cost- should be including Taxes. It should be fixed for next 5 years.			
	<input type="checkbox"/> Cost of Consumables to be fixed for warranty period.			


Medical Director,
Shri Saibaba Sansthan Trust,
Hospitals, Shirdi



MUMBAI: Sainiketan, 804 - B, Dr. Ambedkar Marg, Dadar, Mumbai - 400014
Telephone: + 91 - 22 - 24166556, Fax: + 91 - 22 - 24150798. Telegram: Sainiketan, Mumbai.
Website: <http://www.shrisaibabasansthan.org> E_mail: saibaba_anr@sancharnetin/saisandesh_anr@sancharnet.in