



SHRI SAIBABA SANSTHAN TRUST, SHIRDI

PTR. No : E-49, AHMEDNAGAR

SHIRDI : Post : Shirdi - 423 109, Tal. Rahata, Dist. Ahmednagar, Maharashtra (India)
Telephone : +91-2423-258 500 Fax : +91-2423-258 870, Telegram : Sainath, Shirdi

To,

No.SSST/CONST/

1892
/2025.

Date-

29 JUL 2025

Sub-Notice Inviting Quotations for Waterproofing Treatment by Injection Pressure Grouting Process for W.C., Bath and Epoxy Paint to Overhead water Tank having leakages in Palkhi Thamba buildings at Yesgaon, Tal.kopargaon.

Dear Sir,

Sealed quotations are invited for the above work at Yesgaon, Tal. kopargaon, Subject to the terms and Conditions mentioned below.

Bill of Quantities-

Sr.No.	Particulars	Qty.	Unit
1.	Applications of Cementitious injection pressure grouting process in Tile joints & Coroners to cover porosity of Concrete Surface injection Grouting Machine Process use pneumatically operated injection grouting machine, plastic nozzle, Single component styrene butadien emulsion specially bonding aid & gauging liquid SBR + Plasticized expanding grout admixture powder (Cebex 100) with Cement slurry etc. Process-12to 15mm Drilling depth 100-125mm depth in tile joint then Fix a plastic nozzle with the help of fast setting chemical then use pneumatically operated injection grouting machine to injecting the SBR + Plasticized expanding powder with Cement slurry in this whole then after 2-3 time application to remove or cut the nozzle then use of Epoxy grout to pack the whole etc. Complete (Spec-as directed by Engineer-In-charge) MAKES - (Fosroc, sika, Choksey Chemicals)	270.00	Holes
2	Tile Joint filing by JK Premium Epoxy Grout open all tiles joint in bathroom then clean and fill up use by MAKES- (JK, Choksey Epoxy tile grout)	41.85	Smt.
3	Application of PU injection grouting water reacting PU chemical negative site application for water leaked problem drilling the hole in slab ceiling than fix a 4 " packers in this hole then use electric pressure machine for single component PU chemical in this hole then after water leaked stop then use fast setting current master plugs or equivalent to pack this whole etc complete with material. MAKES-(MYK , HOKSY)	5.00	Kg.

C:\USERS\DESAI\PIKAR\BANK\PROJECTS\2025\01\SHIRDI\BANK\QUOTATION LETTER.docx

||  ||

Sainiketan, 804, - B, Dr. Ambedkar Marg, Dadar, Mumbai - 400 014
Telephone : +91-22-24166556, Fax : +91-22-24150798, Telegram : Sainiketan,Mumbai
website : • <http://www.shrisaibabasansthan.org> • <http://www.sai.org.in>
E_mail : • saibaba@shnsaibabasansthan.org.in • saibaba@sai.org.in

Sr.No.	Particulars	Qty.	Unit
4	Providing and applying Epoxy paint of approved make (Shalimar, siba, Mahindra and Mahindra,) to concrete surface for RCC ESR or GSR or any other structures including cleaning the surface, by scrapping, air blowers, to the satisfaction of Engineer In Charge, necessary scaffolding, etc comp. for old surfaces – 2 coats.	30.225	Sqm

Terms & Conditions-

1. The above rates shall be for completed item inclusive of GST and transport. The rates once quoted shall be firm & no escalation of rates will be entertained.
2. The Successful bidder has to deposit Earnest Money Deposit - Rs.5,000/- by Cash/D.D. within 7 days of date of work order. Balance SD will be recovered from RA Bill. Total SD - 5% of Contract amount. SD will be released after completion of defect liability Period of 3 years after date of completion of work.
3. Quantities are approximate and may vary according to requirement. Bill will be paid as per the actual work done.
4. No advance will be paid against work order. Bill will be paid after completion of all work and upon submission of GST Invoice bill.
5. The time for completion of work shall be 15 days from the date of issue of the work order.
6. Material shall be strictly as per the above description, specifications mentioned above & prior approval of Engineer In Charge.
7. In case of any dispute between the parties, the jurisdiction shall vest at Rahata court only.
8. The bidders are requested to submit their Bank details and copy of PAN card, EPF No., and GST Registration No. along with the quotation.
9. The quotation shall be addressed to The Chief Executive Officer, Shri Saibaba Sansthan Trust, Shirdi, Tal.-Rahata, Dist.-Ahmednagar and written on a letterhead of your firm and shall be submitted on or before 05 / 08 / 2025 in a sealed cover superscribing as "Quotation for waterproofing work at Yesnash."

Shri Saibaba Sansthan Trust Shirdi reserves the right to reject any or all quotations without assigning any reasons therefor.
Thanking You.

Signed by
Bhikan Deochand Dabhade
(B.D.Dabhade)
Date: 28-07-2025 18:20:00
Executive Engineer,
Shri Saibaba Sansthan Trust, Shirdi.